



51-53

## DIN 22417A Triangular socket spanner



Special steel, body and tommy bar zinc-plated.



Order no.	*						
					g		
44354	M 4	90×10	6.8	50× 6	20		
44362	M 5	100×12	8.3	65× 6	30		
44370	M 6	115×14	10.05	80× 6	60		
44388	M 8	125×16	12.05	100× 8	80		
44396	M10	140×20	15.05	125× 8	160		
44404	M12	160×22	16.55	160×10	240		
44412	M16	180×25	20.55	200×12	400		

\* The size refers to the screw diameter

These spanners are intended for triangular-head screws to DIN 22424 and nuts to DIN 22425.

The M12 size is especially suitable for installing and removing steel and aluminium access-denial posts.

## DIN 905 Chuck keys, square



Special steel, body and tommy bar hardened and blued.



Order no.						
				g		
41988	(4)	60×12	160× 6	70		
41996	5					
42002	6	80×12	160× 6	80		
42010	(7)					
42028	8	80×16	180× 8	170		
42036	9					
42044	10					
42051	11	100×20	200×10	320		
42069	12					
42077	13	100×24	250×12	450		
42085	14	120×28	320×14	780		
42093	17	160×34	400×16	1500		
42101	19	200×36		1850		
42119	22	200×42	630×20	3100		
42127	24	250×45		4200		

( ) Not DIN size

## DIN 7417 Square socket key



Malleable iron nickel-plated.




Order no.						
				g		
56002	6	55	11			
56010	7	52	12	18		
56028	8	58	14	24		
56044	10	64	17	40		

## No. 914Q Square socket spanner with T-grip



Socket: CHROME-VANADIUM, hardened and **nickel-plated**.  
Grip: impact-resistant plastic (cadmium-free).



Order no.							
						g	
44107	6	125	100	151	12	85	
44115	8				14	122	
44123	10	125	100	155	17	150	

Other lengths and executions on request.

On request with advertising or company imprint, please see page 4.

## DIN 904 Square socket spanner



Special steel, body and tommy bar hardened and **blued**.



DIN 904 L

DIN 904

Order no.					
				g	
41665	(4)	60×12	160× 6	85	
41673	5				
41681	6	80×12	160× 6	100	
41699	(7)	80×16	180× 8	180	
41707	8				
41715	(9)	100×18	180× 8	245	
41723	10	100×20	200×10	340	
41731	12	100×24	250×12	520	
41749	13				
41756	14	120×28	320×14	875	
41764	17	160×34	400×16	1625	
41772	19	200×36		2035	
41780	22	200×42	500×18	2900	
41798	24*	250×45	630×20	4270	

## DIN 904L Square socket spanner, long version.

Special steel, body and tommy bar hardened and **blued**.

Order no.					
				g	
41848	(5)	120×12	160× 6	100	
41855	(6)	160×12		110	
41863	(8)	160×16	180× 8	210	
41871	(9)	200×18	200× 8	390	
41889	(10)	200×20	200×10	390	
41897	12	200×24	250×12	600	
41905	13				
41913	14	200×28	320×14	795	
41921	17*	250×34	400×16	1500	
41939	19*	320×36		1700	

\* Contrary to DIN standard, shaft is not bored.

( ) Not DIN size.

## DIN 248 Square ring spanner



Special steel, hardened and **blued**.



Order no.					
				g	
40022	8	160	17	85	20
40030	10	195	21	165	
40048	12	235	24	275	10
40105	13	250	26	300	
40055	14	270	27	420	
40063	17	315	31	530	10
40071	19	345	35	715	
40089	22	385	39	900	—
40097	24	415	43	975	—

## No. 916Q Hexagon socket spanners with T-grip



Socket: CHROME-VANADIUM, hardened and **nickel-plated**.  
Grip: impact-resistant plastic (cadmium-free).



Order no.						g		
<b>45161</b>	5.5				8	80		
<b>44248</b>	6	125	100	155	9	90		
<b>44255</b>	7				11	90		
<b>44263</b>	8	125		155		95		
<b>44198</b>	8	230	100	260	12	120		
<b>44313</b>	8	350		381		150		
<b>45179</b>	9	125	100	155	13	115		
<b>44271</b>	10	125		155		120		
<b>44206</b>	10	230	100	260	14	160		
<b>45203</b>	11	350		381		225		
<b>44297</b>	13	125	100	155	19	140		
<b>44222</b>	13	230		260		180		
<b>44305</b>	14	125	100	156	20	140		
<b>45237</b>	16	125	100	155	22	155		
<b>45245</b>	17*				24	160		

On request with advertising or company imprint, please see page 4.

## DIN 659 Tubular box spanners



Special steel, hardened and **blued**.



Order no.					g		
<b>40253</b>	6	110	5.3		18		
<b>40261</b>	8	110	6.3		20		
<b>40279</b>	9				40		
<b>40287</b>	10	125	6.3		50		
<b>40295</b>	11				90		
<b>40303</b>	13*	145	8.5		90		
<b>40329</b>	17*	155	10.5		130		
<b>40337</b>	19*	160			170		
<b>40345</b>	22*	170	12.5		220		
<b>40352</b>	24*	190			270		
<b>40360</b>	27**		14.5		315		
<b>40378</b>	30	205	16.5		450		
<b>40394</b>	36*	225	18.5		670		
<b>40402</b>	41	245	18.5		1000		

\* hardened and zinc-plated

\*\* while stock last

## DIN 900 A Tommy bar for DIN 659 and DIN 896B

Special steel, hardened and **blued**.



Order no.	$\varnothing$			g		
<b>41533</b>	5	125		20		
<b>41541</b>	6	160		40		
<b>41558</b>	8	180		70		
<b>41566</b> *	10	200		125		
<b>41574</b> *	12	250		220		
<b>41582</b> *	14	320		390		
<b>41590</b> *	16	400		630		
<b>41608</b>	18	500		990		
<b>41616</b>	20	630		1550		

\* hardened and zinc-plated