

**58007****Non-sparking double open-end wrench****Design**

Special bronze alloy.

**58007**

| Size<br>mm | 58007 | ... |
|------------|-------|-----|
| 6 x 7      | 201   |     |
| 8 x 9      | 202   |     |
| 10 x 11    | 103   |     |
| 12 x 13    | 104   |     |
| 14 x 15    | 105   |     |

| Size<br>mm | 58007 | ... |
|------------|-------|-----|
| 16 x 17    | 106   |     |
| 17 x 19    | 207   |     |
| 18 x 19    | 107   |     |
| 20 x 22    | 208   |     |
| 21 x 23    | 108   |     |

| Size<br>mm | 58007 | ... |
|------------|-------|-----|
| 24 x 27    | 209   |     |
| 25 x 28    | 109   |     |
| 30 x 32    | 210   |     |

**58010****Non-sparking combination spanner****Design**

Special bronze alloy.

**58010**

| Size<br>mm | 58010 | ... |
|------------|-------|-----|
| 6 x 6      | 101   |     |
| 7 x 7      | 102   |     |
| 8 x 8      | 103   |     |
| 9 x 9      | 303   |     |
| 10 x 10    | 104   |     |
| 11 x 11    | 304   |     |
| 12 x 12    | 105   |     |
| 13 x 13    | 106   |     |

| Size<br>mm | 58010 | ... |
|------------|-------|-----|
| 14 x 14    | 306   |     |
| 15 x 15    | 307   |     |
| 16 x 16    | 308   |     |
| 17 x 17    | 107   |     |
| 18 x 18    | 309   |     |
| 19 x 19    | 108   |     |
| 22 x 22    | 109   |     |
| 24 x 24    | 110   |     |

| Size<br>mm | 58010 | ... |
|------------|-------|-----|
| 27 x 27    | 111   |     |
| 30 x 30    | 112   |     |
| 32 x 32    | 113   |     |
| 36 x 36    | 114   |     |
| 41 x 41    | 115   |     |
| 46 x 46    | 116   |     |

**58011****Non-sparking striking face box wrench****Design**

Bi-hexagonal. Special bronze alloy.

**58011**

| Size<br>mm | 58011 | ... |
|------------|-------|-----|
| 24         | 101   |     |
| 30         | 102   |     |
| 32         | 103   |     |

| Size<br>mm | 58011 | ... |
|------------|-------|-----|
| 36         | 104   |     |
| 41         | 105   |     |
| 46         | 106   |     |

| Size<br>mm | 58011 | ... |
|------------|-------|-----|
| 50         | 107   |     |
| 55         | 108   |     |
| 60         | 109   |     |

**58015****Non-sparking adjustable wrench****Design**

Copper-beryllium alloy.

| Total length<br>mm/inch | Clamping width<br>mm | 58015 | ... |
|-------------------------|----------------------|-------|-----|
| 200/8                   | 25                   | 201   |     |
| 300/12                  | 35                   | 202   |     |

**58015****58019****Non-sparking corner pipe wrench****Design**Swedish form, with straight jaw,  
copper-beryllium alloy.

| Jaw width<br>Inch | 58019 | ... |
|-------------------|-------|-----|
| 2                 | 201   |     |

**58019****58022****Non-sparking hexagonal socket wrench inserts****Design**With square drive, connecting square: 1/2 inch,  
special bronze alloy.

| Size<br>mm | 58022 | ... |
|------------|-------|-----|
| 24         | 210   |     |
| 27         | 211   |     |
| 30         | 212   |     |
| 32         | 213   |     |

**58022**

## Non-sparking tools

58023

### Non-sparking gear ratchet

1/2"

#### Design

Interchangeable, clockwise/anti-clockwise action,  
Copper-beryllium alloy.

58023

| Connecting square<br>Inch | Total length<br>mm | 58023 | ... |
|---------------------------|--------------------|-------|-----|
| 1/2                       | 250                |       | 201 |



58030

### Non-sparking hexagonal T-handle wrench DIN 911



#### Design

Angled, special bronze alloy.

58030

| Size<br>mm | 58030 | ... |
|------------|-------|-----|
| 2          |       | 201 |
| 3          |       | 202 |
| 4          |       | 203 |
| 5          |       | 204 |
| 6          |       | 205 |
| 8          |       | 206 |
| 10         |       | 207 |
| 12         |       | 208 |
| 14         |       | 209 |



58040

### Non-sparking screwdriver



#### Design

Copper-beryllium alloy.

58040

| Cutting edge width<br>mm | Blade length<br>mm | 58040 | ... |
|--------------------------|--------------------|-------|-----|
| 3.0                      | 75                 |       | 301 |
| 4.5                      | 100                |       | 302 |
| 6.0                      | 100                |       | 303 |
| 6.0                      | 150                |       | 304 |
| 8.0                      | 150                |       | 305 |
| 10.0                     | 200                |       | 306 |



58043

### Non-sparking Phillips screwdriver PH



#### Design

Copper-beryllium alloy.

58043

| Size<br>PH | Blade length x total length<br>mm | 58043 | ... |
|------------|-----------------------------------|-------|-----|
| 1          | 80 x 155                          |       | 301 |
| 2          | 100 x 195                         |       | 302 |
| 3          | 150 x 245                         |       | 303 |
| 4          | 200 x 305                         |       | 304 |



58058

### Non-sparking flat scraper

#### Design

With plastic handle, special bronze alloy.

58058

| Blade length<br>mm | Width<br>mm | 58058 | ... |
|--------------------|-------------|-------|-----|
| 200                | 30          |       | 201 |



58060


### Non-sparking angle scraper

#### Design

Angled on one side, special bronze alloy.

58060

| Length<br>mm | Width<br>mm | 58060 | ... |
|--------------|-------------|-------|-----|
| 200          | 22          |       | 201 |



**58062****Non-sparking machinist's hammer DIN 1041****Design**

With hickory handle. Special bronze alloy.

**58062**

| Weight without handle<br>g | 58062 | ... |
|----------------------------|-------|-----|
| 300                        |       | 201 |
| 500                        |       | 202 |
| 800                        |       | 203 |
| 1000                       |       | 204 |

**58063****Non-sparking sledgehammer DIN 1042****Design**

With hickory handle. Special bronze alloy.

**58063**

| Weight<br>kg | 58063 | ... |
|--------------|-------|-----|
| 3            |       | 201 |
| 5            |       | 202 |

**58064****Non-sparking mallet****Design**

With hickory handle. Special bronze alloy.

**58064**

| Weight<br>kg | 58064 | ... |
|--------------|-------|-----|
| 1.5          |       | 202 |
| 3.0          |       | 203 |

**58070****Non-sparking centre punch****Design**

Special bronze alloy.

**58070**

| Length<br>mm | 58070 | ... |
|--------------|-------|-----|
| 100          |       | 201 |

**58075****Non-sparking offset pin****Design**

Special bronze alloy.

**58075**

| Arm length<br>mm | Material thickness<br>mm | 58075 | ... |
|------------------|--------------------------|-------|-----|
| 450 x 150        | 16                       |       | 201 |

**58076****Non-sparking flat chisel****Design**

Special bronze alloy.

**58076**

| Length<br>mm | 58076 | ... |
|--------------|-------|-----|
| 200          |       | 201 |
| 300          |       | 203 |

**58077****Non-sparking cross-cut chisel****Design**

Special bronze alloy.

**58077**

| Length<br>mm | 58077 | ... |
|--------------|-------|-----|
| 200          |       | 201 |



58080

## Non-sparking pliers

## Design

Copper-beryllium alloy.

58080 202



58080 205



58080 203



58080 206



58080 207



58080 208



|                    | Length<br>mm | 58080 | ... |
|--------------------|--------------|-------|-----|
| Combination pliers | 200          | 202   |     |
| Flat nose pliers   | 160          | 203   |     |
| Telephone pliers   | 180          | 205   |     |
| Side cutters       | 160          | 206   |     |
| Water pump pliers  | 250          | 207   |     |
| Pincers            | 200          | 208   |     |

58085

## Non-sparking work scissors

## Design

With 1 round and 1 oval eye, copper-beryllium alloy.

58085



| Length<br>mm | 58085 | ... |
|--------------|-------|-----|
| 220          | 201   |     |

58088

## Non-sparking cutter

## Design

With wooden handle, copper-beryllium alloy.

58088



| Length<br>mm | 58088 | ... |
|--------------|-------|-----|
| 180          | 201   |     |

58090

## Non-sparking scriber

## Design

With 1 straight and 1 angled tip, special bronze alloy.

58090



| Length<br>mm | Material thickness<br>mm | 58090 | ... |
|--------------|--------------------------|-------|-----|
| 225          | 4                        | 201   |     |

58092

## Non-sparking spatulas

## Design

Straight, rigid blade, brass.

58092



| Width<br>mm | 58092 | ... |
|-------------|-------|-----|
| 50          | 201   |     |
| 100         | 202   |     |

58094

## Non-sparking wire hand brush

## Design

Round wire, with wooden body, 3 rows, tin-bronze wire.

58094



| Length<br>mm | 58094 | ... |
|--------------|-------|-----|
| 350          | 201   |     |