Rost frei

### 66001 - 66002

### Bricklayer's trowels

### Design

- Hardened steel blade
- Conical ground
- With S-neck
- Painted beech handle
- DIN 6441 C

Blade length

66002 Stainless steel.



101



### 66003 - 66004

mm 160

180

Blade width

Blade width

Blade width mm

55

**mm** 85/60

mm

85/115

95/125

### Berne plastering trowels

66004

Stainless steel.

### Design

- Hardened steel blade
- Conical ground
- With straight neck
- Painted beech handle
- DIN 6441 A

Blade length

	rust-proof	
66003	 66004	



### 66007

140

### Cat's tongue

### Design

- Hardened steel blade
- Conical ground
- With S-neck

Blade length

- Painted beech handle

mm

160

Quanty	
Stainless	steel.

O. . . . lit.

66009

Stainless steel.





# 66008 - 66009

### Plasterer's spatulas

# Design

- Hardened steel blade
- Conical ground
- With straight neck
- Painted beech handle
- DIN 6441 C

				rust-proof	
Blade length	Blade width	66008		66009	
mm	mm				
93	50		101		101
110	80		103		103

66021

Stainless steel.



### 66020 - 66021 Smoothing trowels

### Design

- Hardened steel blade
- 0.7 mm thick
- With no rivets
- With LM-support and bent, painted beech handle
- DIN 6439

		rust-proof
Blade length	Blade width	66020 66021
mm	mm	
280	130	101 101



### Japanese surface spatulas

### Design

- Highly flexible steel, hardness II, 0.31 mm thick
- With acid-resistant plastic back

Width	66216	
mm		
50		101
100		102
Set of 4 pieces: 50, 80, 100 and 120		103



66218 **Spatula** 

### Design

- Blade made from electric steel
- With flat, oval wooden handle
- Conical ground
- With suspension hole



Blade width	66218	
mm		
30		101
40		102
50		103

Blade width	66218	
mm		
60		104
80		105
100		106

### 66219 Decorator's stripping knife

# 66219

66218

### Design

- Rustproof stainless steel
- Polished to a high gloss
- Flexible blade, conical ground
- Plastic handles with suspension hole



Blade width mm	66219	
30		101
40		102
50		103

Blade width	66219	
mm		
60		104
80		105
100		106

# 66270

# Plaster pot

### Design

- Made from special soft PVC
- Conical curved
- Solidified plaster can be easily removed by pressing the flexible pot sides together

Dimension	66270	
mm		
125 x 90		101



### 66275 - 66276 Radiator/small paint rollers

### Design

- Rollers with plug cap
- Arms made from zinc-plated wire, diameter 6 mm
- Plastic handle
- Solvent-resistant

### Nylon rollers with gold threads

- Seamless covering, spiral shaped

### 66276

### Moltoprene rollers

- Straight, cut from block

		Perlon with gold threads		Moltoprene	
	Width	66275		66276	
	mm				
Roller with arm	100		101		101
Replacement roller, individual	100		102		102








Special tools / PPE

### Design

- Hostalen plastic, break-resistant and solvent-resistant





# 66285

### **Brush assortments**

### 66285 101 Comprising:

- 3 round brushes
- 3 flat brushes

### 66285 102 Comprising:

- 3 round brushes
- 5 flat brushes
- 2 radiator paint brushes



Content	66285	
6 pieces		101
10 pieces		102

### 66288

### **Modler flat brushes**

### Design

- Light, pure bristles
- Metal clamp
- Limewood handle, premier strength

Brush width	Bristle length	66288	
approx. mm	approx. mm		
25	37		101



### 66289 - 66290

## Flat and radiator paint brush

### 66289 Paint brush Design

- With short handle
- Straight design
- Light, pure bristles

### 66290

### Radiator paint brush Design

- With 40 cm long handle
- Angled shape
- Strong, grey China bristles



Padiator paint bruch

### Paint brush

		i dilit bi doll	
Brush width approx. mm	Bristle length approx. mm	66289	
35	45		101
50	45		102
70	50		103

	nadiator pairit brusii		
	66290	Bristle length	Brush width
		approx. mm	approx. mm
101		45	35
102		45	50
103		50	75

### 66293

### Round paint brush

### Design

- Universal round paint brush
- Wooden handle with suspension hole
- Bristles held in plastic capsule
- Rounded tip
- Light, pure bristles, metal-free grip



SizeBrush	n diameter	Bristle length	66293	
	mm	mm		
2	20	58		101
4	25	65		102
6	30	68		103


SizeBrush	diameter mm	Bristle length mm	66293	
8	35	73		104
10	40	77		105

### Info

### Paint brush - suitable for various paint types



The pictograms indicate which paint types the brush is suitable for. The number of points shows the quality level of suitability.



Example

very good

good

components





Solvent-based paints





Dispersions

### 66291

### **Paint brush**



Flat paint brush, multi-colour Design

- 12 Thickness
- Fully synthetic mix M12
- Red polyamide plastic grip
- Fully bonded
- Beech handle

66291 201-203 Flat brush, aqua Design

- 12 Thickness
- Fully synthetic mix M3
- Blue polyamide plastic grip
- Fully bonded
- Beech handle





- Beecn	nandie		Multi-colour	Aqua
	rush width pprox. mm	Bristle length approx. mm	66291	. 66291
	25	43	10°	
	25	49		201
	50	56	102	2
	50	59		202
	60	56	103	3
	60	61		203

### 66292

# Radiator paint brush and façade paint brush



66292 101-103 Radiator paint brush Design

- Best mix M6
- Tin plate grip
- Beech handle

66292 104 Façade paint brush Design

- Double strength
- Best mix M6
- Rust-free stainless steel grip
- Fully bonded
- Beech handle



		Radiator paint brush	Façac	le paint brush	
Brush width	Bristle length	66292		66292	
approx. mm	approx. mm				
35	49		101		
50	54		102		
60	54		103		
75	60				104






### **Round brush**

### 66297 201-203 Round brush, Master class Design

- Good mix M66
- Single yellow cord binding
- Nickel ring
- Red cover
- Beech handle



- Fully synthetic mix M3
- Double detachable, blue polyamide plastic grip
- Blue cover
- Beech handle



- Fully synthetic mix M12
- Double detachable, red polyamide plastic grip
- Red cover
- Beech handle



		Master Class	Aqua	Walti-coloui
Size	Brush diameter	66297	. 66297	66297
	mm			
4	25	201	301	401
6	30	202	2 302	402
8	35	203	303	403

### 66281

### Large paintbrush



### Large paintbrush, Master class Design

- Good mix M55
- Tin plate grip
- Wooden cover
- Metal holder
- Beech wood handle

### 66281 102 Large paintbrush, Aqua Design

- Fully synthetic mix M3
- Blue polyamide plastic grip
- Black plastic cover and holder
- Beech wood handle

### 66281 103 Large paintbrush, Multi-colour Design

- Fully synthetic mix M12
- Red polyamide plastic grip
- Black plastic cover and holder
- Beech wood handle



66281 101



66281 102



66281 103

		Master class	Aqua	Multi-colour
Brush width	Bristle length	66281	66281	66281
approx. mm	approx. mm			
100	57	101		
100	66		102	103

### 66282

### Ceiling brush

### Design

- Punched, rectangular
- Synthetic bristles, unfinished wood body
- Black plastic holder and handle

Size mm	Bristle length approx. mm	66282	
170 x 70	75		101



66.5

- In the best professional painter quality
- Heat resistant up to 80°C
- Moisture-proof

66296 201-205

# tesa /

## type 4316

### Design

- Standard industrial masking tape
- Lightly creped with good adhesion
- on various surfaces
- Stretchable and flexible
- Easily removable

### **Applications**

General covering work up to a temperature of 100°C.

tesa/

Width	Length	Colour	66296	66296 .	
mm	m				
19	50	chamois	10	)1 20	)1
25	50	chamois	10	)2 20	)2
30	50	chamois	10	03 20	)3
38	50	chamois	10	04 20	)4
50	50	chamois	10	05 20	)5

66296 101-105 66296 201-205



66294

### Soft PVC adhesive tape

### 66294 101 Design

Special tools / PPE

- Crosswise grooving
- UV-resistant
- Adhesive layer can be completely removed

### Applications

Specially designed for areas exposed to the sun and anodised metal surfaces.

66294 201-202



### type 4172

### Design

- Made from soft and tear-resistant plasticised PVC film and synthetic rubber adhesive
- Resistant to moisture

66294

- Resistant to cold, weak alkalis and acids as well as many chemicals

### **Applications**

Protects the surfaces of delicate profiles, frames and veneers from dirt and damage from materials and tools before and during construction work. Can be used for plasterwork, painting and masonry.

101

tesa /

202

201



66294 101



66294 201

66294 202

66295 101





66295

50

50

Width

### Fabric adhesive tape

Colour

yellow

white

### 66295 101

### Design

- Mesh-reinforced PE extra strong adhesive tape

Length

**m** 33

33

- Pigmented rubber adhesive with high adhesive force for almost any surface
- Colour silver grey, black

### **Applications**

As standard assembly tape for masking pipes and ventilation slots, as well as to fasten films to metal, plastic, plaster and concrete. Can be used at temperatures of between -20  $^{\circ}$  C and +80  $^{\circ}$  C.

66295 201-202



# type 4688

### Design

- High initial adhesive force, even on rough surfaces
- Easy to tear off by hand
- Easy to unroll
- Waterproof and resistant to ageing
- Strong but flexible

### **Applications**

For marking, covering, packaging, protecting, sealing etc. For fixing cables and as a floor marker for theatre and stage applications. For securing attachments, general marking work, sealing of bags and cardboard boxes.

Can be used as a versatile repair tape.




66295 201

66295 202







H:M

- Design - Sealed surface
- Resistant to weathering and ageing
- Can be written on
- The electronic properties are much higher than the requirements for Type G2 according to VDE 0340, Part 2/DIN 40633, Page 2

### **Applications**

For installation and repair work.

For wrapping, reinforcing, protecting, sealing, fastening and marking of cables, wires and connections.

Length

25

25

25

25

Colour

grey

black

silver

red

### 62353 201-203 tesa 🗸

### Type 4651 Design

- Strong adhesive, even on rough, fibrous surfaces and surfaces treated with a release agent
- Waterproof, resistant to weathering and ageing
- Excellent tensile strength
- Can be written on, soft, smooth and abrasionresistant
- Very easy to tear by hand

62353

### **Applications**

For bundling and reinforcing pipes and profiles, masking of drill holes and other openings. Marking of cables, fixing and insulation of cables. Colour coding of wires, permanent, air-tight sealing of wiring, etc.

101

tesa/

62353

201

202

203



62353 101







62336

Width

mm 19

19

19

19

### Double-sided adhesive tape

### **3M**

### Type 9088

### Design

### - Double sided adhesive tape with polyester carrier

- Modified acrylate adhesive

Width


mm 25

50

- Good UV and temperature resistance

### **Applications**

Suitable for a wide range of high and low-energy surfaces. Suitable for universal use.





### 62341

### Assembly tape

### **3M**

### Design

- Double-sided adhesive tape made from closedcell acrylate adhesive
- Good adaptability to the surfaces to be bonded
- Bonds entire surfaces without clamping, regardless of whether they are smooth or textured

### 62341 101 Type 4611 F

For bonding metals such as steel, stainless steel and aluminium and other high-energy materials such as, for example, painted surfaces, painted wood, glass, ceramics and many plastics.

### 62341 102

# Type 4910 F

### **Applications**

For bonding transparent materials such as glass, polycarbonate, acrylic glass (PMMA) and other highenergy materials such as, for example, metals, painted surfaces, painted wood, ceramics and many plastics.

### 62341 103 Type 5952 F

### **Applications**

For bonding low-energy materials such as, for example, powder coatings and high-energy materials such as, for example metals (e.g. steel, stainless steel and aluminium), painted surfaces, painted wood, glass, ceramics and many plastics (e.g. rigid PVC, ABS, acrylic glass/PMMA, polycarbonate).

Width mm	Length m	Colour	62341	
19	3	grey		101
19	3	transparent		102
19	3	black		103





62341 103



62341 102



### **3M**

### Design

- Outstanding sealing properties thanks to good moisture shielding (water vapour diffusion)
- A combination of robust aluminium and durable adhesive for problem-free long-term applications

Length

m

55

55

- Low flammability (class L)

62337

- Good resistance to chemicals

- High level of resistance to ageing and weathering
- Strong heat and light reflection

### **Applications**

For masking, sealing, heat and light reflection, covering surfaces during aluminium anodising and for use as a moisture barrier.

62337

101

102



50 62338

Width

mm

25

### Universal hook and loop tape

### **3M**

### Design

- Universal hook and loop Scotchflex tape for permanent as well as releasable bundling of cables, etc.

Width	Length	62338	
mm	m		
20	10		10



62339

### Universal hook and loop tape

### **3M**

Special tools / PPE

### Design

- Dispenser with 5 m hook and loop tape for easy
- The releasable fastening system allows for quick and easy assembly or disassembly and non-visible
- The synthetic rubber adhesive ensures the highest retention force on all surfaces

### **Applications**

For quickly detachable connections in mechanical engineering, automotive and trade fair construction.



Width Length Colour 62339 mm m 25 black 101 5

62340 Electrical insulating tape

### **3M**

### Design

- Scotch™ 23 electrical insulating tape, self-fusing
- Binds homogeneous fused winding layers
- Excellent dielectric properties
- Weather-resistant

# Scotch" 23

### 62343 - 62351

### **Electrical insulating tape IEC 60454**

- High-quality soft PVC film, combined with an ageing-resistant acrylic-based adhesive material
- Tape width 15 mm
- Tape thickness 0.15 +/-0.003 mm
- High adhesive strength, soft, self-extinguishing, lead-free, easy to work with
- Complies with VDE, ÖVE and SEV according to type test IEC 60454-3-1-10/F-PVCp/105
- Temperature-resistant from -10° to +105° C

### **Applications**

Suitable for all standard insulation work in electrical applications. Can also be used universally for repairs, colour coding and bundling.



		green/yellow		brown		grey		yellow		green		red		blue	
Roll length	Width	62343		62344		62345		62346		62347		62348		62349	
m	mm														
10	15		101		101		101		101		101		101		101
25	15		102		102		102		102		102		102		102

		black	white	
Roll length	Width	62350	62351	
m	mm			
10	15	101		101
25	15	102		

62338

62340

### Warning tape, self-adhesive

### Design

- Waterproof
- Good abrasion resistance
- Very strong adhesion
- Can be processed manually and by machine
- Can be walked on immediately after adhesion



To mark the boundary of width and height, moving devices and obstacles, flammable substances, etc.



Colour	Width mm	Length m	68388
red/white	60	66	101
black/yellow	60	66	102

### 68389

## Non-slip and floor marking tape



68389 101 Type 60951

Non-slip tape

### Design

- Very good adhesive strength on various surfaces
- UV, moisture and salt water resistant
- Step safety in hazardous areas such as stairs, steps, slopes, ladders, ramps, car trailers, scaffolding etc.
- Long-lasting non-slip effect

### **Applications**

Suitable for use indoors and outdoors.

### 68389 102 Type 4169 Floor marking tape Design

- Robust, durable carrier
- Soft, can be applied in curves
- Sticks on dry and clean floors
- Can be driven over by a forklift

### **Applications**

Suitable for permanent, demanding marking both indoors and outdoors, marking boundaries of work areas, paths and playing fields.



Floor m	arking tape	
	68389	

68390

			Non-slip tape		Floor marking tape	
Width	Length	Colour	68389		68389	
mm	m					
50	15	yellow/black		101		
50	33	yellow/black				102

### 68390 Warning tape

### Design

- Polyethylene film
- Tear-resistant
- Non-fading

Colour	Width mm	Length m	Design	68390	
red/white	80	500	in a sturdy dispenser box		101



### Hand dispensers | Stretch film | Adhesive tapes | Chalk line dispenser | Coloured powder | Plumb bob | Plumb line | Shovels | Spades | Hoes

### 66298

### Hand dispensers/Stretch film

### 66298 101

### Hand dispensers

### Design

- Inexpensive standard dispenser unit
- With a ball bearing
- Centring disc made from plastic
- Adjustable dispenser brake to regulate film tension

### **Applications**

For film width 420/450/500 mm.

For cardboard core diameter 38/50/76 mm.

### Note:

Stretch film not included in scope of delivery.

### 66298 102 Hand-stretch film

### Design

- For reliable, inexpensive pallet securing
- Extremely versatile
- Protection against dust, moisture and theft
- Economic material consumption, 300 running metres provide up to 450 winding metres
- The higher the protection requirement or the pallet weight, the thicker the film should be
- Stretch film adhesion on both sides
- Strength/thickness 17 μ
- Film width 500 mm
- Core diameter 50 mm
- Colour transparent

Туре	66298	
Hand dispenser		101
Stretch film		102



66299 102

66299 101

### Manual dispenser/Adhesive tape

### 66299 101 Hand dispensers

### Design

### - Very robust metal dispenser

- Static strip always holds the adhesive tape onto the pressure roller
- With soft handle
- With adjustable roll brake

### **Applications**

Suitable for 50 mm roll width.

Adhesive tape not included in scope of delivery.

### 66299 102 PP adhesive tape Design

- Very high resistance to tearing due to biaxial stretching
- Resistant to UV and ageing
- Resistant to diluted acids and alkaline solutions
- Environmentally friendly water-based acrylate
- After storage and processing at room temperature, cold-resistant down to approx. -30°C
- Heat-resistant in the short term up to approx.
- Adhesive strength: 2.2 +/- 0.6 N/cm
- Tear-out force: 40 N/cm
- Strength/thickness 50 μ
- Colour transparent

Туре	66299	
Hand dispenser		101
PP adhesive tape		102

### 66300 - 66301

### Chalk line roller/coloured powder

66300

### Chalk line roller

- With 15 m plumb line in the housing and crank for winding up

- Can also be used as a plumb bob

66301	
Coloured	powder

Chalk line roller Coloured powder Colour Content 66300 66301 101 100 101 100 102





### 66306

# Plumb bob

### Design

- Made from steel
- With brass button

Weight	66306	
g		
250		102
500		104



66306

### 66307

### Plumb line

### Design

- Made from polyethylene
- 14 kg tear-out force

Length	Ø	66307	
m	mm		
50	1		- 1

- Colour: red



66307

### 66500 - 66508 Shovels

### 66500 - 66503

### Diamond pioneer shovel

- Made from hardened sheet steel
- Red powder-coated
- Made in Germany

### 66504

### Halle aluminium-edged scoop shovel

- With professional-quality riveted steel edge
- Lightweight yet robust design allows for pleasant work at a low weight
- Broad range of uses



	Frankfurt shove		Holstein shovel	Aluminium-edged scoop shove		novel
Blade dimensions	66500		66503		66504	
mm						
300 x 270		101				
270 x 250				101		
360 x 390						101

### 66508

Shovel handle

- DIN 20151

- Ash wood bent, premier Quality

- Surface ground

Handle length	Handle diameter	66508	
mm	mm		
1300	40		101

### 66525

### **Spades**



- Double spring spadesExtremely wear-resistant
- Conical rolled blade, made from a single piece
- Sharpens itself in use
- With double riveted ash T-handle
- Gardener's shape
- Made in Germany

Blade dimensions	Handle length	66525
mm	mm	
285 x 185	850	101

Quality Sand-blasted.



## 66526 - 66527 Pickaxe (flat pickaxe)

66526 Pickaxe Design

- DIN 20109

- Forged from steel and hardened

- With an oval eye
- With all oval eye

66527 Pickaxe handle Design

- Ash wood
- Flat oval quality DIN 6437



			Pickaxe		Pick handle	
Pick width	Total length	Weight	66526		66527	
mm	mm	approx. kg				
60	565	3.0		201		
-	950	-				101



66527

66.11

66528 dustpans

Design

- Robust sheet steel shovel with wooden handle

**Applications** For commercial and industrial use.

Design	Size	66528	
	mm		
painted black	220 x 200		101
zinc-plated	220 x 200		102



66529 Hand brush

### Design

- Straight wooden body
- With rounded handle edges

### 66529 101

With coconut bristles, natural Unpainted wood. For dry, coarse dirt.

### 66529 103

### Long-handle hand brush

With coconut bristles, natural Unpainted wood. For dry, coarse dirt.

### 66529 102

### Industrial hand brush

Fine quality mix, unpainted wood.

For fine dirt.

Design	Total length mm	Bristles height approx. mm	Bristles rows	66529	
Coconut bristles	280	75	4		101
Coconut bristles	450	75	4		103
Quality mix	280	75	4		102



### 66530 - 66533

### factory and workshop broom

### Design

- Flat wooden body, rounded
- With permanently mounted POWER-STICK handle
- Lightning fast assembly of all standard wooden handles
- Fixed seat, as the handle socket tapers conically

### 66530

- Coconut. for dry floors

### 66531

- Arenga, for coarse dirt, moisture-resistant
- Long service life

### 66532

- Elaston, for coarse dirt
- Resistant to oil and alkalis
- For concrete, industrial and wooden floors

### 66533

- Fine quality mix
- Arched bristle shape
- For fine dirt



66532

66534 301-302





### Coconut Quality mix Arenga Elaston Wood size 66531 mm 400 x 55 101 500 x 55 102 600 x 55 103 103

### 66534 Squeegee

### 66534 101-102

### Design

- Rugged design metal body with double foam
- Riveted steel handle holder for particularly strong handle grip

### **Applications**

Suitable for broom handles with diameter 24 mm. Broad range of uses, ideal for high oads.

### 66534 201-202

### Design

- Wooden body with double foam rubber lip
- Heavy-duty design for a perfect contact surface
- Handle hole with additional metal handle holder for secure handle grip

### **Applications**

Suitable for broom handles with diameter 24 mm. Ideal for removing large amounts of water.

### 66534 301-302

### Design

- PVC body with aluminium rail and hard rubber lip, can also be used with telescopic rods due to wooden handle
- Household squeegee

### 66534 101-102



	Metal body	
Length	66534	
mm		
550		101
750		102



	Wooden body	
Length	66534	
mm		
600		201
800		202





66534 201-202

### 66537 **Broom handle**

# Design

- Knot-free pine, ground
- Cylindrical handle end

Length	Ø	66537	
mm	mm		
1400	24		101

### 66535

### Street broom

### 66535 101 Design

- Coarse, powerful street broom with red, strong Elaston fibre bristles, made in Germany
- Water-resistant and dimensionally stable
- Heat resistant up to 60°C

### **Applications**

Ideal for coarse and moist outdoor dirt. For handles with 24 or 28 mm diameter (cone).

### 66535 102 Design

- Top quality wooden handle, made in Germany
- Very robust, durable and stable, produced from hardwood with very little residual moisture

### **Applications**

Ideal for demanding applications with an increased material load. Suitable for brooms, scrubbing brushes and other devices with full length handle hole (not suitable for POWER-STICK PVC handle holder).



66537



66535 102

66540

				Broom		Handle	
Bristle length	Bristle	Wood width	Handle length x diameter	66535		66535	
mm	rows	mm	mm				
100	6 x 18	400	-		101		
-	-	-	1400 x 28				102

### 66540 **Dusting brush**

### Design

- Pocket sized
- Standard mix M1
- Single row
- Wooden body

Width mm	Bristle length approx. mm	66540	
160	57		101



### 66541

### Eco mop system

### **KÄRCHER**

### 66541 101

### Eco mop system with telescopic handle Design

- High-quality and dimensionally stable dust mop (holder) with telescopic adjustable handle 97-184 cm
- The mop system facilitates working in this way due to individually adaptable ergonomics and easy handling
- This includes, in particular, the height-adjustable telescopic handle and the automatic clamping system
- The automatic clamping system allows mop covers to be replaced easily without touching
- Rounded corners make it noticeably easier to insert the mop cover
- the round push button
- wipe on vertical surfaces
- The joint trough supports cleaning under furniture

### 66541 102

### Cotton mop


# Design

- 40 cm with pockets for standard cleaning tasks

### 66541 103

### Microfibre mop

- 40 cm with abrasive strips and pockets for stubborn dirt





66.13

### **KÄRCHER**

### Design

- Double bucket trolley made from 100% polypropy-
- Corrosion-free, very mobile and with jaw-type mop wringer
- Very hygienic and easy to clean

- Two colour-coded buckets (15 litres each)
- Broad and easily accessible sliding handle
- Easy-to-use universal mop wringer
- Jaws of the wringer close with the base (no inserts required)



Volume Litre	66542	
2 x 15		101

Cutting off tools | Bevelled-edge chisels | Carpenter's mallets



### 66543

### Glass and window cleaning set


### **KÄRCHER**

Special tools / PPE

- Glass and window cleaning set for professional use with complete basic equipment and sturdy
- Designed for the professional user and especially torsion-resistant, the 3-part telescopic rod can be extended to up to 3 metres in length (3 x 100 cm)

### Equipment:

- 1x telescopic rod (3 x 100 cm)
- 1x soft grip wiper handle
- 1x 25 cm rail with rubber blade - 1x 35 cm rail with rubber blade
- 1x 45 cm rail with rubber blade
- 1x replacement rubber blade 25 cm soft
- 1x replacement rubber blade 35 cm soft
- 1x T-carrier 35 cm
- 1x single wash cover White Star 35 cm
- 1x single wash cover Blue Star 35 cm
- 1x safety scraper 4 cm
- 1x reinforced razor blade 5-series
- 1x joint for telescopic rod
- 1x blade holder including 10 blades in a box
- 1x pocket





66543

# 66545

### **Builder's bucket**

### Design

- Made from high-strength polyethylene
- Zinc-plated metal eyelet handle
- Low standing rim
- Black
- With a litre scale

|--|



66545

### 66546 **Metal bucket**

### Design

- Zinc-plated
- Extremely robust design
- Reinforced handle

Content I	66546	
10		101



66546

### 66547 Weighing shovel

### Design

- Made of light metal

Total length	66547	
mm		
310		101
350		102
400		103
430		104

