

HHW**Design**

- Polyethylene material and break-proof construction, dimensionally stable and highly durable
- Safe and ergonomic handling thanks to generously dimensioned, multiple reinforced recessed handles on both short sides (size 2-4), can also be retrofitted with gripping rod (art. no. 83411)
- Specially shaped rear support strip, facilitating attachment and detachment to/from RasterPlan slotted plates (starting from art. no. 82482) (size 5-8) even when full, thus no spilling of the contents
- Peripheral stack edge
- Temperature resistant from -40°C to +80°C
- Resistant to acids, oils and bases
- Easy, problem-free cleaning thanks to smooth inner walls, food-safe
- Rib reinforcement at bottom edges
- Label holder with special clamps, preventing labels from slipping out
- Environmentally friendly, fully recyclable
- GS-tested easy-view storage bins

Applications

Designed for use on conveying and roller tracks.

Note:

Delivery without lid and labels.

For accessories for easy-view storage bins, see art. no. 83406 ff.

For DYMO labellers, see art. no. 78450 ff.

ESD version deliverable on request.



Support strip
size 5-8




Recessed handle
at rear size 2-4



Recessed handle
at front



Smooth inner walls






Rib reinforcement



Stack edge



Label holder

**Safe suspension - safely applied! No spillage!**

The special design of the support strip enables easy-view storage bins to be attached and detached in a horizontal position even when full. No spilling of the contents of the box.

Easy-view storage bins of sizes 5 to 8 allow absolutely horizontal attachment and detachment to/from slotted plates when filled.

Horizontal

Vertical

Engage and you're
done

GS-tested

Size	L x W x H approx. mm	Load capacity kg	Extra load kg	Red		Blue		Grey		Green		Yellow	
				83401	...	83402	...	83403	...	83404	...	83405	...
8	85 x 105 x 45	40	40		101		101		101		101		101
7	160 x 105 x 75	40	40		102		102		102		102		102
6	230 x 140 x 130	40	40		103		103		103		103		103
5	290 x 140 x 130	40	40		104		104		104		104		104
4	350 x 200 x 150	40	40		105		105		105		105		105
3	350 x 200 x 200	40	40		106		106		106		106		106
2	500 x 300 x 200	40	40		107		107		107		107		107

Continued

83406 - 83411

Accessories for easy-view storage bins

Continued
KAPPEL

83406

Supporting cover
Design

- Crystal-clear polystyrene

83407

Longitudinal partition
Design

- Produced from fine sheet metal

83408

Labels
Design

- 10 pack = 1 unit

83408 204

Labels
Design

- 9 pack = 1 unit

83409

Protective film
Design

- 10 pack = 1 unit

83411

Gripping rod

83406



83407



83408



83409



83411



For size	Cover 83406	...	Longitudinal partition 83407	...	Labels 83408	...	Protective film 83409	...	Gripping rod 83411	...
8							201		101	
7			101				202		102	
6			102				203		103	
5			103				203		103	
4			104	101			204		104	101
3			105	102			204		104	101
2			106	103			205		105	102

83300

Tool boxes

Design

Robust plastic, colour: blue.

83300 101

Tool boxes

Applications

Can be equipped with 4 inserts
(art. no. 83300 102-104).

83300 102

3-way insert

Applications

For tool box art. no. 83300 101.

83300 103

2-way insert

Applications

For tool box art. no. 83300 101.

83300 104

1-way insert


Applications

For tool box art. no. 83300 101.


83300 101




83300 102



83300 103



83300 104



Type	Dimensions W x D mm	83300	...
Tool box	420 x 250		101
3-way insert	210 x 120		102
2-way insert	210 x 120		103
1-way insert	210 x 120		104

83305

Tool box, ESD version

Design

Robust plastic, conductive, colour: black.

83305 101

Tool boxes

Applications

Can be equipped with 4 inserts (art. no. 83305 105).

83305 105

3-way insert


Applications

For tool box art. no. 83305 101.

83305 101



83305 105



Type	Dimensions W x D mm	83305	...
Tool box	420 x 250		101
3-way insert	210 x 120		105



KAPPES**Design**

Modular design. Impact- and scratch-resistant plastic coating. Stand module RAL 7035 light grey. Horizontal attachment and detachment of easy-view storage bins. Equipped with HHW easy-view storage bins made of highly impact-resistant polyethylene, art. no. 83401-83405, assorted colours, from stock, colour illustration non-binding.

Note:

Other paints for slotted plates in RAL 3020, 5010, 5015, 7015, 9005 and 9010 deliverable without surcharge (not in stock). For suitable easy-view storage bins, see art. no. 83401-83405.



RasterPlan partitions are generally provided with covered screw holes for floor anchoring




83425 595

Fitting	Dimensions H x W x D mm	Fitting with easy-view storage bins size 6			83425	...
		size 7	size 8			
One-sided	760 x 1000 x 240	-	-	-	594	
One-sided	760 x 1000 x 240	12	16	24	595	
One-sided	760 x 1000 x 240	12	32	-	596	
One-sided	1100 x 1000 x 240	-	-	-	597	
One-sided	1100 x 1000 x 240	6	48	16	598	
One-sided	1100 x 1000 x 240	-	72	-	599	
One-sided	1450 x 1000 x 240	-	-	-	600	
One-sided	1450 x 1000 x 240	12	64	16	601	
One-sided	1450 x 1000 x 240	36	16	24	602	
One-sided	1790 x 1000 x 240	-	-	-	603	
One-sided	1790 x 1000 x 240	30	72	-	610	
One-sided	1790 x 1000 x 240	66	-	-	611	
Double-sided	760 x 1000 x 430	-	-	-	613	
Double-sided	760 x 1000 x 430	24	32	48	614	
Double-sided	760 x 1000 x 430	24	64	-	615	
Double-sided	1100 x 1000 x 430	-	-	-	616	
Double-sided	1100 x 1000 x 430	12	96	32	617	
Double-sided	1100 x 1000 x 430	-	144	-	618	
Double-sided	1450 x 1000 x 430	-	-	-	619	
Double-sided	1450 x 1000 x 430	24	128	32	620	
Double-sided	1450 x 1000 x 430	72	32	48	621	
Double-sided	1790 x 1000 x 430	-	-	-	622	
Double-sided	1790 x 1000 x 430	60	144	-	623	
Double-sided	1790 x 1000 x 430	132	-	-	624	


83425 598



83425 601



83425 610



83425 611

**KAPPES****Design**

- Modular design
- Impact-resistant and scratch-resistant plastic coating
- RAL 7035 light grey
- Double-sided use
- Ergonomic handles
- 2 fixed castors and 2 steering rollers with locking devices

- Equipped with HHW easy-view storage bins made of highly impact-resistant polyethylene, art. no. 83401-83405, assorted colours, from stock, colour illustration non-binding.

Note:

For suitable easy-view storage bins, see art. no. 83401-83405.
For DYMO labellers, see art. no. 78450 ff.



Horizontal attachment and detachment of easy-view storage bins



83416 591

Fitting	Dimensions H x W x D mm	Fitting with easy-view storage bins size 6			83416	...
		size 7	size 8			
Double-sided	890 x 1000 x 500	-	-	-	590	
Double-sided	890 x 1000 x 500	24	64	-	591	
Double-sided	890 x 1000 x 500	-	96	-	592	
Double-sided	890 x 1000 x 500	60	-	-	593	
Double-sided	890 x 1000 x 500	24	32	48	594	
Double-sided	890 x 1000 x 500	-	80	32	595	
Double-sided	1230 x 1000 x 500	-	-	-	596	
Double-sided	1230 x 1000 x 500	24	80	48	602	
Double-sided	1230 x 1000 x 500	48	64	-	603	
Double-sided	1230 x 1000 x 500	84	-	-	601	
Double-sided	1230 x 1000 x 500	12	96	32	610	
Double-sided	1230 x 1000 x 500	-	144	-	611	
Double-sided	1580 x 1000 x 500	-	-	-	604	
Double-sided	1580 x 1000 x 500	48	112	-	606	
Double-sided	1580 x 1000 x 500	-	192	-	607	
Double-sided	1580 x 1000 x 500	108	-	-	605	
Double-sided	1580 x 1000 x 500	24	128	32	608	
Double-sided	1580 x 1000 x 500	72	32	48	609	

83416 601




83416 602



83416 605



83416 606



83506

Organisational cabinets


KAPPES

Design

Impact- and scratch-resistant plastic coating. Light grey RAL 7035. Zinc-plated shelves, load capacity 30 kg. Adjustable in 15 mm grid. With HHW easy-view storage bins made from shock and impact-resistant polyethylene, sorted by colour, from stock, colour illustration non-binding (art. no. 83401-83405).

Applications

Allows clear and secure storage of small parts and spare parts, tools and other materials.

Note:

Other paints in RAL 7035/5012 and 6011 deliverable without surcharge (not in stock).
For cabinets with dimensions H 1600/1950 x 285 mm, wall anchoring is recommended.

83506 595-616

Design

With reinforced doors, opening angle over 180°. Three-pin safety cylinder lock.

83506 700-711

Design

Without doors.

83506 592-593

Accessories

Applications

For organisational cabinets art. no. 83506.

83506 595



83506 596



Security turning handle cylinder lock

83506 601



83506 614



83506 616



Shelf support



Locking bar

83506 605



83506 606



83506 607



83506 610



Dimensions H x W x D mm	No. of shelves	Fitting with easy-view storage bins size 4	size 5	size 6	size 7	With doors	Without doors	
						83506	...	83506
780 x 690 x 285	4	-	-	-	-	595		700
780 x 690 x 285	5	-	-	8	24	596		701
1600 x 690 x 285	4	-	-	-	-	612		702
1600 x 690 x 285	9	-	-	40	-	601		703
1600 x 690 x 285	11	-	-	24	36	614		704
1600 x 690 x 285	14	-	-	-	90	616		705
1950 x 690 x 285	4	-	-	-	-	604		706
1950 x 690 x 285	15	-	-	28	54	605		707
1950 x 690 x 285	11	-	-	48	-	606		708
1950 x 690 x 285	18	-	-	-	114	607		709
1950 x 950 x 400	4	-	-	-	-	608		710
1950 x 950 x 400	10	20	36	-	-	610		711
Accessories		Dimensions W x D mm				83506		
Shelf, zinc-plated		690 x 285				592		
Shelf, zinc-plated		950 x 400				593		

KAPPES
Design

Impact- and scratch-resistant plastic coating.
Housing RAL 7035 light grey. Rear wall with RasterPlan slots. Smooth fronts due to flush overlay doors, opening angle over 200°. Continuous rod guidance. Three-pin safety cylinder lock.

83511 101-104
Design

With reinforced solid sheet metal doors.

83511 301-304
Design

With doors with viewing window.



Note:
For suitable easy-view storage bins,
see art. no. 83401-83405.


83511 101



83511 102



83511 103



83511 104



Dimensions H x W x L mm	Fitting with easy-view storage bins			Solid sheet metal doors		Doors with viewing window	
		size 5	size 6	size 7	83511	...	83511
1950 x 1000 x 410		-	-	-		101	301
1950 x 1000 x 410		24	30	32		102	302
1950 x 1000 x 410		36	36	-		103	303
1950 x 1000 x 410		72	-	-		104	304

KAPPES
Design


Stable, extremely high load capacity. Profiles RAL 5010, zinc-plated shelves. Load capacity 100 kg with evenly distributed load. Adjustable in 25 mm grid.

Complete shelf unit including HHW easy-view storage bins made from shock and impact-resistant polyethylene, sorted by colour, from stock, colour illustration non-binding (art. no. 83401-83405).
Delivered unassembled.


83510 109-110



83510 101-102



83510 107-108



83510 105-106



83510 111



Dimensions H x W x D mm	No. of shelves	Fitting with				Basic bay		Add-on bay		Basic and add-on bay	
		easy-view storage bins	size 2	size 3	size 4	size 5	83510	...	83510	...	83510
2000 x 1000 x 300	10		-	-	-	60		109		110	
2000 x 1000 x 400	11		-	-	20	36		101		102	
2000 x 1000 x 400	10		-	-	40	-		107		108	
2000 x 1000 x 600	7		21	-	-	-		105		106	
2000 x 2000 x 400	19		-	32	20	36					111

KAPPEL

Design

- Particularly high-quality processed, spacious large cabinets
- Robust sheet steel construction
- Impact-resistant and scratch-resistant plastic coating
- Smooth fronts due to flush overlay doors, opening angle more than 200°
- Continuous rod guiding
- Double-walled, reinforced doors
- Sidewalls are double-walled
- Adjustable in 10 mm grid
- Three-bar security cylinder lock
- External dim.: H x W x D mm 1950 x 1130 x 590
- Internal dim.: H x W x D mm 1870 x 1080 x 530

Note:

For suitable easy-view storage bins, see art. no. 83401-83405.

83508 501-517 + 601-617

Large cabinets, complete

Design

- These large cabinets combine all fundamental components of the RasterPlan range. From perforated and slotted plates on the inside of the doors to flexible-use drawers and shelves to easy-view storage bins.
- Telescopically guided drawers with full extension
 - Drawer load capacity 50 kg with evenly distributed load
 - Zinc-plated shelves, load capacity 50 kg with evenly distributed load

With HHW easy-view storage bins made from shock and impact-resistant polyethylene, sorted by colour, from stock, colour illustration non-binding (art. no. 83401 - 83405).

83508 519 + 619

Large cabinets for self-equipping

83508 501-519

Design

- Body RAL 7035 light grey
- Doors RAL 5012 light blue

83508 601-619

Design

- Body RAL 7035 light grey
- Doors RAL 7035 light grey

83509

Accessories

Applications

For all large cabinets art. no. 83508.

83508 610



Inside of door, slotted plate




Inside of door, perforated plate

83508 602

83508 617



83508 605




RAL 7035/5012

RAL 7035

Version	Drawers centre	Drawers bottom	Shelves D 530 mm	Shelves D 340 mm	Shelves D 250 mm	Fitting with easy-view stor.	size 2	size 4	size 5	size 6	size 7	size 8	RAL 7035/5012				RAL 7035			
													83508	...	83508	...	83508	...	83508	...
Cabinet compl.	3	-	2	2	2	6	-	21	7	50	32		510				610			
Cabinet compl.	1	-	3	-	4	9	5	-	28	40	32		517				617			
Cabinet compl.	-	2	1	3	5	-	20	-	21	60	32		512				612			
Cabinet compl.	-	3	1	2	6	-	15	-	21	70	32		503				603			
Cabinet compl.	-	3	1	3	4	3	10	7	14	60	32		504				604			
Cabinet compl.	-	3	2	2	4	6	10	-	21	50	32		505				605			
Cabinet compl.	-	4	1	3	3	-	15	7	14	50	32		513				613			
Cabinet compl.	-	-	2	-	6	9	-	-	42	40	32		514				614			
Cabinet compl.	-	-	-	2	9	-	5	14	28	90	32		502				602			
Cabinet compl.	-	-	-	3	7	-	20	-	28	70	32		501				601			
Cabinet housing empty	-	-	-	-	-	-	-	-	-	-	-	-	519				619			

83509 101

83509 102



Accessories	83509	...
Shelves 530 mm	104	
Shelves 340 mm	105	
Shelves 250 mm	106	
Single drawer 125 mm panel height	103	
Drawer partitioning, fine sheet metal	101	
Drawer partitioning with 54 clear-view storage bins size 8	102	

83512 - 83517

Shelf boxes without dividers

KAPPES

83512 - 83513

Design

Resistant to temperatures from -40 °C to +70 °C.
Resistant to the most common acids and alkalis.

Accurate and stable seating of the dividers by lateral groove guides and additional fixing on the box base. Built-in label holder. Environmentally friendly, fully recyclable. **Delivery without dividers and without labels.**

83512 - 83513

Shelf boxes			Blue		Red	
Size	L x W x H mm	Dividers per box, optional	83512	...	83513	...
310	300 x 120 x 65	3		101	101	
320	300 x 240 x 65	3		102	102	
410	400 x 120 x 65	4		103	103	
420	400 x 240 x 65	4		104	104	
510	500 x 120 x 65	5		105	105	
520	500 x 240 x 65	5		106	106	



83515 - 83517

Accessories for shelf boxes

art. no. 83512 - 83513.

		Blue		Red			
		83515	...	83516	...	83517	...
Divider	120 x 65 mm		101		101		
Divider	240 x 65 mm		102		102		
Labels	22 x 75 mm						101



83530

Organisational cabinets with shelf boxes

KAPPES

Design

Sheet steel design with doors. Including shelf boxes made of polypropylene and zinc-plated shelves (adjustable in 10 mm grid).

Standard colour:

RAL 7035/5012 light grey/light blue, powder-coated.

Note:

Shelf boxes sorted by colour, red and blue, as shown subject to availability.
For a detailed description of the shelf boxes, see art. no. 83512-83513.



FERTIGUNGSSTANDORT
DEUTSCHLAND
83530 505

Dimensions H x W x D mm	No. of shelves	Fitting with shelf boxes				RAL 7035		RAL 7035/5012	
		shelf boxes size 310	size 320	size 410	size 420	83530	...	83530	...
1950 x 1000 x 410	16	-	68	-	-	501		601	
1950 x 1000 x 410	16	136	-	-	-	503		603	
1950 x 1000 x 410	16	64	36	-	-	505		605	
1950 x 1000 x 500	16	-	-	64	36	707		807	

83531

Organisational shelving with shelf boxes

KAPPES

Design

Stable, extremely high load capacity. Profiles RAL 5010, zinc-plated shelves. Load capacity 100 kg with evenly distributed load. Adjustable in 25 mm grid. Complete shelf unit including shelf boxes made of polypropylene. Delivered unassembled.

Note:

Shelf boxes sorted by colour, red and blue, as shown subject to availability.
For a detailed description of the shelf boxes, see art. no. 83512-83513.



Dimensions H x W x D mm	No. of shelves	Fitting with shelf boxes			Basic bay		Add-on bay	
		size 310	size 410	size 420	83531	...	83531	...
2000 x 1000 x 300	16	120	-	-	101		201	
2000 x 1000 x 400	16	-	-	60	102		202	
2000 x 1000 x 400	16	-	56	32	103		203	

83540 - 83541

Volume shelf boxes

KAPPES

83540

Design

The boxes are designed according to common shelf dimensions. Manufactured from impact-resistant polypropylene, pigeon blue. Resistant to temperatures from -40°C to +70°C. Resistant to the most common acids and alkalis. Can be stacked one underneath the other. Environmentally friendly, fully recyclable.

Applications

These volume shelf boxes are characterised by a high load capacity. Various sizes of box create many different options for storing small parts.

Note:

For accessories (cross-partitions, longitudinal partitions, labels) for volume shelf boxes, see art. no. 83541.

83541 101-103**Cross-partition****Design**

Precise seating of cross-partitions through groove guidance.

Applications

For volume shelf boxes art. no. 83540.

83541 201-206**Longitudinal partition****Design**

Precise seating of longitudinal partitions through groove guidance.

Applications

For volume shelf boxes art. no. 83540 (not for width 113 mm).

83541 301-303**Labels****Applications**

For volume shelf boxes art. no. 83540.

Model	Width x height mm	Depth mm	83540	...
4085	113 x 85	400		101
4105	153 x 105	400		102
4145	235 x 145	400		103
5085	113 x 85	500		201
5105	153 x 105	500		202
5145	235 x 145	500		203
6085	113 x 85	600		301
6105	153 x 105	600		302
6145	235 x 145	600		303

	Width mm	Length mm	Height mm	83541	...
Cross-partition	113	-	85		101
Cross-partition	153	-	105		102
Cross-partition	235	-	145		103
Longitudinal partition	-	400	105		201
Longitudinal partition	-	400	145		202
Longitudinal partition	-	500	105		203
Longitudinal partition	-	500	145		204
Longitudinal partition	-	600	105		205
Longitudinal partition	-	600	145		206
Labels	113	-	-		301
Labels	153	-	-		302
Labels	235	-	-		303



83540



83541 101-103



83541 201-206



83545

Organisational cabinets with volume shelf boxes

KAPPES**Design**

Sheet steel design with doors. Including volume shelf boxes made of polypropylene (box depth

400 mm) and zinc-plated shelves (adjustable in 10 mm grid).

Standard colour:

RAL 7035 light grey, powder-coated.

Note:

For a detailed description of volume shelf boxes, see art. no. 83540.

83545 101



83545 102



83545 103



83545 104



Dimensions H x W x D mm	No. of shelves	Fitting with volume shelf boxes			83545	...
		113 x 85 mm	153 x 105 mm	235 x 145 mm		
1950 x 1000 x 500	13	112	-	-		101
1950 x 1000 x 500	12	-	78	-		102
1950 x 1000 x 500	9	-	-	40		103
1950 x 1000 x 500	12	40	30	12		104

KAPPES**Design**

Stable, extremely high load capacity. Profiles RAL 5010, zinc-plated shelves. Load capacity 100 kg with evenly distributed load. Adjustable in 25 mm grid. Complete shelf unit, including volume shelf boxes (art. no. 83540). Delivered unassembled.

83547 101-203

83547 301-403

83547 501-603

83547 701-803



Dimensions H x W x D mm	No. of shelves	Fitting with volume shelf boxes			Basic bay	Add-on bay
		113 x 85 mm	153 x 105 mm	235 x 145 mm	83547	83547
2000 x 1000 x 400	16	120	-	-	101	201
2000 x 1000 x 500	16	120	-	-	102	202
2000 x 1000 x 600	16	120	-	-	103	203
2000 x 1000 x 400	13	-	72	-	301	401
2000 x 1000 x 500	13	-	72	-	302	402
2000 x 1000 x 600	13	-	72	-	303	403
2000 x 1000 x 400	11	-	-	40	501	601
2000 x 1000 x 500	11	-	-	40	502	602
2000 x 1000 x 600	11	-	-	40	503	603
2000 x 1000 x 400	14	40	30	12	701	801
2000 x 1000 x 500	14	40	30	12	702	802
2000 x 1000 x 600	14	40	30	12	703	803

fetra

Transportgeräte

Design

Modular system:

- Steel tube and profile steel welded
- Powder-coated, blue RAL 5007
- Bolted construction
- Angle for tilted installation at 15° or 30°
- Load capacity per loading surface 80 kg
- 4 steering rollers, TPE tyres
- Hubs with deep groove ball bearings
- 2 pieces with locking devices, according to European standard EN 1757-3 (safety of platform trucks)

83414 101**Design**

- With 3 open shelf frames
- Variable screw-in shelves, 50 mm grid

Scope of delivery

- With 6 Euro crates:
- 6x 600 x 400 x 145 mm

83414 102**Design**

- With 5 open shelf frames
- Variable screw-in shelves, 100 mm grid

Scope of delivery

- With 15 Euro crates:
- 3x 600 x 400 x 145 mm
- 6x 600 x 400 x 170 mm
- 6x 600 x 400 x 220 mm



83414 101



83414 102

Load capacity kg	Loading area height mm	Loading area L x W mm	External dimensions L x W x H mm	Tyres mm	Tare weight kg	83414	...
250	264/564/864	820 x 610	935 x 666 x 1101	TPE 125 x 32	57	101	201
300	298/598/898/1198/1498	1240 x 610	1372 x 685 x 1686	TPE 160 x 40	97	102	202



83350 - 83360

Euro transport containers

KAPPES

Design

- 12 container sizes in 3 brilliant colours
- Maximum dimensional stability
- Extremely high load capacity (high crush resistance)
- Strong reinforcement ribs and all-round robust stack edge
- Double-walled, rounded and reinforced corners
- Temperature resistant from -40 °C to +90 °C
- Smooth interior, therefore easy to clean
- Food-safe
- Resistant to the most common acids and alkalis
- Quiet running on conveyance routes
- Designed for storage and retrieval devices
- Environmentally friendly, fully recyclable

Note:

From a container height 180 mm with carrying handles.

Applications

Euro transport containers are adapted to the dimensions of the Euro pallet and meet the demands of today's warehouse and conveyor technology. The polypropylene containers are robust and capable of withstanding high levels of stress, and are stackable with each other.



83350 100-109



83350 110-200




83350 201-221



Transport containers		Red		Blue		Grey	
Outer dimensions	Inner dimensions	83350	...	83350	...	83350	...
L x W x H mm	L x W x H mm						
300 x 200 x 120	269 x 169 x 117	100		200		210	
400 x 300 x 120	365 x 265 x 110	101		110		201	
400 x 300 x 180	365 x 265 x 170	106		116		206	
400 x 300 x 220	365 x 265 x 210	102		111		202	
600 x 400 x 120	565 x 365 x 110	103		112		203	
600 x 400 x 180	565 x 365 x 170	107		117		207	
600 x 400 x 220	565 x 365 x 210	104		113		204	
600 x 400 x 270	567 x 367 x 266	109		115		209	
600 x 400 x 320	565 x 365 x 310	105		114		205	
600 x 400 x 420	565 x 365 x 410	108		118		208	
800 x 600 x 220	752 x 552 x 216			120		220	
800 x 600 x 320	752 x 552 x 316			121		221	

Accessories	Colour	L x W mm	83360	...
Support cover	Grey	300 x 200	105	
Support cover	Grey	400 x 300	106	
Support cover	Grey	600 x 400	107	
Support cover	Black	400 x 300	104	
Support cover	Black	600 x 400	103	
Sealing cover	Grey	300 x 200	108	
Sealing cover	Grey	400 x 300	109	
Sealing cover	Grey	600 x 400	110	
Sealing cover	Black	600 x 400	101	
ABS running gear	Black	600 x 400	102	

83360 105-107



83360 103-104



83360 108-110



83360 101



83360 102



83415

Material stands

fetra

Transportgeräte

Design

- Height-adjustable
- Mobile
- Profile steel/tube construction with sheet steel platform
- Height-adjustable in increments of 25 mm
- Powder-coated, blue RAL 5007
- 4 steering rollers, TPE tyres
- Hubs with plain bearings
- 2 pieces with locking devices, according to European standard EN 1757-3 (safety of platform trucks)

Applications

For plastic boxes, sheet steel boxes, wire baskets etc.

83415 101

Design

- Sheet steel platform with all-round edging 20 mm high
- Not tilting

83415 102

Design

- Sheet steel platform with support edge on one side
- Can be tilted by 15° and 30°



83415 101

83415 102



Load capacity kg	Loading area height mm	Loading area L x W mm	Tyres mm	Tare weight kg	83415	...
150	720 - 995	605 x 405	TPE 75 x 25	15	101	
150	500 - 775	510 x 410	TPE 75 x 25	16	102	



TRESTON

Design

All drawers made of crystal-clear polystyrene. Large handle for easy pulling. Corrugated floor to quickly access the smallest parts and large label for clear inscription. Made of sturdy polypropylene. Surface dark grey. Clear-view small parts magazines art. no. 83010 110-115 suitable for rotary stands art. no. 83020.

Note:

Engaging partition panels: Cross and longitudinal partitioning. Prices apply to the entire grey plastic magazine including drawers and labels, but without partition panels.

83010 101-106



83010 110-115



Height: 290 mm

Type	Drawers type	quantity	External dimensions H x W x D mm	83010	...
290	L-00	30	290 x 310 x 180	101	
291	L-01	24	290 x 310 x 180	102	
292	L-02	12	290 x 310 x 180	103	
294	L-04	12	290 x 310 x 180	104	
296	L-06	4	290 x 310 x 180	105	
297	L-07	6	290 x 310 x 180	106	

Height: 550 mm

Type	Drawers type	quantity	External dimensions H x W x D mm	83010	...
550-3	L-00	60	550 x 310 x 180	110	
551-3	L-01	48	550 x 310 x 180	111	
552-3	L-02	24	550 x 310 x 180	112	
554-3	L-04	24	550 x 310 x 180	113	
556-3	L-06	8	550 x 310 x 180	114	
557-3	L-07	12	550 x 310 x 180	115	

83012 - 83015

Spare drawers, partition panels and adhesive labels

TRESTON

83012

Spare drawers

Design

Crystal-clear polystyrene, without partition panels.

Applications

For clear view small parts magazines or also for individual use.

83013

Partition panels, for cross-partitioning.

83014

Partition panels, for longitudinal partitioning.

83015

Adhesive labels

On A4 sheets, self-adhesive.


Drawers

Type	External dimensions H x W x D mm	For magazines Type	Pack = pieces	83012	...
L-00	37 x 55 x 175	290 + 550	30	301	
L-01	37 x 69 x 175	291 + 551	24	302	
L-02	37 x 138 x 175	292 + 552	12	303	
L-04	59 x 92 x 175	294 + 554	12	304	
L-06	59 x 277 x 175	296 + 556	4	305	
L-07	81 x 138 x 175	297 + 557	6	306	


Partition panels

Type	For drawers Type	Pack = pieces	Cross 83013	...	Longitudinal 83014	...
V-00	L-00	10		101		
V-01	L-01	10		102		
V-02	L-02	10		103		
V-04	L-04	10		104		
V-06	L-06	10		105		
V-07	L-07	10		106		
V-012	L-01 + L-02	10				101
V-0456	L-04 + L-06	10				102
V-078	L-07	10				103


83012



83013



83014



83015



Adhesive labels

For drawers type	Pieces/ sheet	83015	...
L-00	95	201	
L-01 + L-02	76	202	
L-04 + L-06	36	203	
L-07	52	204	

83020

Rotary stand (without magazines)

TRESTON

Design


Ball bearing-mounted rotating assembly, 3 plastic bases and cover for 3 shelves. Suitable for 12 clear-view small parts magazines 550 mm in height according to choice. Magazines art. no. 83010 110-115 must be ordered separately.

Applications

The practical rotary stand is ideal if positioning assorted storage directly at workstations rather than against a wall.

Surface light grey RAL 7035.

83020 + 83010 110-115



Type	Dimensions mm with 12 magazines/ height 550 mm	Load capacity kg	83020	...
12-550	500 x 500 x 1730	400		101

83110 - 83111

Drawer magazines

TRESTON

Design

Made of sturdy polypropylene, drawers with labels. All drawers with corrugated base. Material: Polypropylene (crystal clear: polystyrene). Resistant to oil and most weak acids and alkalis.

Colour:


RAL 7035 light grey, powder-coated.

Applications

The magazines can be stacked or fixed to the wall. Use drawer magazines to construct space-saving, practical and flexible small parts storage units.

83110 106

Dimensions mm	H x W x D	395 x 400 x 300 mm			
Magazine type	Drawer type	Drawer quantity	Drawer colour	83110	...
0830	3020	8	Crystal clear		101
0830	3020	8	Red		102
0830	3020	8	Blue		103
0830	3020	8	Grey		104
1630	3010	16	Crystal clear		105
1630	3010	16	Red		106
1630	3010	16	Blue		107
1630	3010	16	Grey		108



Dimensions mm	H x W x D	395 x 400 x 400 mm			
Magazine type	Drawer type	Drawer quantity	Drawer colour	83111	...
0840	4020	8	Crystal clear		101
0840	4020	8	Red		102
0840	4020	8	Blue		103
0840	4020	8	Grey		104
1640	4010	16	Crystal clear		105
1640	4010	16	Red		106
1640	4010	16	Blue		107
1640	4010	16	Grey		108

83111 104



83140

Rotary stand (without magazines)

TRESTON

Design

With ball bearing-mounted rotating assembly (also easy to rotate under load). Rotary stands type 16-300 and type 16-400 are suitable for storing larger parts.

Each can be equipped with **16 drawer magazines of your choice**:

Type 16-300 can be equipped with magazines 0830 and 1630 (art. no. 83110).

Type 16-400 can be equipped with magazines 0840 and 1640 (art. no. 83111). Please order these in addition.

These rotary stands can hold up to 800 kg. Complete rotary stand accessories include: Rotating assembly and intermediary panels for 4 shelves.


Colour:

RAL 7035 light grey, powder-coated.

Applications

Maximum use of space: The rotary stand is unrestricted within the area. This facilitates optimal utilisation of each surface area. Clear compact storage with rapid access. A maximum of 1792 different items readily available at any time over less than 1 m² of floor space.

83140 101 + 83110



Type	External dimensions H x W x D mm	Load capacity kg	83140	...
16-300	1680 x 700 x 700	800		101
16-400	1680 x 800 x 800	800		102

83141

Magazine cabinets

Design

- Fully equipped Stala cabinets, fully assembled and ready for immediate use
- Housing made of painted sheet steel
- Delivery incl. labels

Note:

Housing colours RAL 5010 gentian blue and RAL 7035 light grey deliverable on request in dimensions indicated below

83141 101

Type ST P 42

Contents:

42 tilting containers

(H x W x D 70 x 80 x 63 mm)

83141 102

Type ST P 61

Contents:

24 tilting containers

(H x W x D 70 x 80 x 63 mm)

25 tilting containers

(H x W x D 108 x 100 x 97 mm)

12 tilting containers

(H x W x D 133 x 128 x 128 mm)

83141 103

Type ST P 154

Contents:

96 tilting containers

(H x W x D 70 x 80 x 63 mm)

50 tilting containers

(H x W x D 108 x 100 x 97 mm)

8 tilting containers

(H x W x D 133 x 128 x 128 mm)

83141 101



83141 102



83141 103



Type	No. of tilting containers	Dimensions H x W x D mm	Housing colour	83141	...
ST P 42	42	910 x 665 x 250	RAL 5010 gentian blue		101
ST P 61	61	2000 x 665 x 250	RAL 7035, light grey		102
ST P 154	154	2000 x 1270 x 250	RAL 5010 gentian blue		103

83340

Sheet-steel easy-view storage bins

Design

Stackable, made from sheet steel, zinc-plated. Upper stack edge reinforced. Incline at front allows for easy filling and removal. With label frame.

Note:

Sheet-steel easy-view storage bins in RAL paint deliverable on request.
For DYMO labellers, see art. no. 78450 ff.

83340 100

Design

With recessed handles.

83340 101-104

Design

With round iron drop handle (Ø 8 mm) on the rear.

83340 105-107


Design

With round iron drop handle (Ø 10 mm) on the rear.

83340



Type	A mm	a mm	B mm	C mm	D mm	E mm	F mm	Weight approx. kg	Volume litres	83340	...
LST/6	230	200	140	130	236	148	65	1.00	3.5		100
LST/5-S	350	300	200	145	355	215	72	1.75	8.5		101
LST/5	350	300	200	200	360	215	95	2.50	11.0		102
LST/4	500	450	300	200	510	315	95	4.00	18.0		104
LST/3	520	450	300	300	530	315	175	6.00	41.0		105
LST/2	520	450	450	300	530	465	175	8.00	60.0		106
LST/1	700	630	450	300	710	465	175	10.00	83.0		107



Info

Stacking boxes type ST

Made of sheet steel, powder-coated or zinc-plated, and produced from rustproof stainless steel. Stacking boxes made of sheet steel are highly robust and well-suited for use in metal processing. The very high stacking loads up to 3000 kg are proof of good durability. The top edge is turned over and is reinforced by an all-round, inward-pressed bead, designed for stacking.

Drop handles are located on the front.

Standard design: RAL 7000 (squirrel grey), RAL 6011 (green), hot-dip zinc-plated.

Special paint finish or name embossing on request.

Stacking boxes are stackable with easy-view storage bins in the corresponding sizes.

