


- Stackable
- Flexible
- Clearly arranged

Configure your own personal equipment system from a wide selection of system boxes according to the modular principle. This means no wasted space from unnecessary trays and fast access to your tools, adapted to your workflows.

The textured base plate ensures each system box remains firmly in place, even during transport. The system boxes can also be conveniently stacked as required, depending on the drawer height.

AQURADO® can be adapted to suit your requirements - our field service will be happy to help you configure your system.

**84131****UNI-BOX**

AQURADO®
MODULARES ORDNUNGSSYSTEM

Design

Made from ABS plastic, black.
Simple box for storing a variety of parts.

84131 212-214**Design**

With holes for fixation of dividers (not included in scope of delivery, see art. no. 84137).

Note:

Boxes also available in conductive ESD version on request.

Outer dimensions W x D x H mm	Internal dimensions W x D x H mm	Max. no. of dividers	84131	...
48 x 96 x 24	37 x 85 x 18	-	101	
96 x 96 x 24	85 x 85 x 18	-	102	
96 x 144 x 24	85 x 133 x 18	-	103	
72 x 192 x 24	61 x 181 x 18	-	106	
96 x 192 x 24	85 x 181 x 18	-	104	
96 x 288 x 24	85 x 277 x 18	-	105	
96 x 96 x 48	85 x 85 x 42	-	201	
96 x 144 x 48	85 x 133 x 42	-	202	
72 x 192 x 48	61 x 181 x 42	-	211	
96 x 192 x 48	85 x 181 x 42	-	203	
96 x 240 x 48	85 x 229 x 42	-	204	
96 x 288 x 48	85 x 277 x 42	-	205	
96 x 336 x 48	85 x 325 x 42	-	206	
144 x 144 x 48	133 x 133 x 42	-	207	
144 x 192 x 48	133 x 181 x 42	-	208	
144 x 384 x 48	133 x 373 x 42	-	209	
240 x 336 x 48	229 x 325 x 42	-	210	
144 x 144 x 48	133 x 133 x 42	5	212	
144 x 192 x 48	133 x 181 x 42	7	213	
144 x 384 x 48	133 x 373 x 42	15	214	


84131 101-106

84131 201-211



84131 212

84131 213



84131 214

**84137****Dividers**

AQURADO®
MODULARES ORDNUNGSSYSTEM

Design

Transparent.

Applications

For Uni boxes, art. no. 84131 212-214.

Height mm	84137	...
60	101	
100	102	

84137 101

84137 102

**84132****MULTI-BOX**

AQURADO®
MODULARES ORDNUNGSSYSTEM

Design

Made from ABS plastic, black.
Box with separate troughs.

Applications

For holding multiple parts without getting them mixed up.

Outer dimensions W x D x H mm	Dimensions per trough mm	No. of troughs	84132	...
96 x 192 x 24	24 x 181 x 18	3	101	
96 x 288 x 24	40 x 277 x 18	2	102	
144 x 192 x 24	133 x 22 x 18	8	103	

84132 101

84132 102



84132 103

AQURADO storage system

84133

VARIO-BOX

AQURADO®
MODULARES ORGANOSSYSTEM

Design

Made from ABS plastic, black.
End pieces for individual length adjustment.

84133 101



84133 107



84133 104



84133 103



84133 102



84133 105



84133 106



84133 108



Outer dimensions W x D x H mm	No. of troughs	Trough width mm	84133	...
73 x 48 x 24	1	37		101
72 x 92 x 24	1	81		107
96 x 96 x 24	2	40		104
96 x 96 x 24	3	24		103
96 x 96 x 24	1	85		102
48 x 192 x 24	8	22		105
73 x 192 x 24	8	22		106
72 x 92 x 48	1	81		108

84134

SPECIAL-BOX

AQURADO®
MODULARES ORGANOSSYSTEM

Design

Made from ABS plastic, black.
With pre-manufactured tool holders.

84134 101



84134 102



84134 201



84134 204



84134 208




84134 209



84134 210



84134 211



	Outer dimensions W x D x H mm	No. of slots	84134	...
Allen key box, AF 1.5 - 10	96 x 288 x 24	9		101
Vernier calipers box	96 x 288 x 24	1		102
Twist drill box, 1.0 - 6.0/ 0.1 incr.	144 x 144 x 48	51		201
Twist drill box, 6.1 - 10.0/ 0.1 incr.	144 x 192 x 48	48		202
Collet chuck box for ER 16	96 x 144 x 48	10		203
Collet chuck box for ER 25	96 x 288 x 48	16		204
Collet chuck box for ER 32	96 x 288 x 48	12		205
Collet chuck box for ER 40	96 x 336 x 48	13		207
Open-ended/combination wrench box	240 x 336 x 48	12		208
Double-end box wrench box	240 x 336 x 48	8		209
Screwdriver box	144 x 384 x 48	6		210
Socket wrench box 1/2 inch, AF 10 - 32	144 x 384 x 48	22		211

84135

Base plates

AQURADO®
MODULARES ORGANOSSYSTEM

Design


Made from ABS plastic, black.
Base plate for securing storage elements, cut to size.

Note:

Also available in conductive ESD versions on request.

For suitable assembly kit, see art. no. 84136 109.

84135



Size mm	84135	...
430 x 600		099
455 x 528		100
528 x 624		101
600 x 600		102
720 x 525		103
1056 x 624		104

84136

Accessories for AQURADO® organisation systems

AQURADO®
MODULARES ORDNUNGSSYSTEM

84136 109

Assembly kit for cutting and securing base plate.

Comprising:

4 adhesive pads, 2 cutting and joining aids,
1 universal blade, assembly instructions.

84136 110-111

Identification labels

Simple insertion, boxes remain stackable. Colour:
light grey.

84136 110

Identification label, horizontal.

84136 111

Identification label, vertical.

Size mm	84136	...
-		109
48 x 15		110
48 x 15		111



84138

Drawers assortments

AQURADO®
MODULARES ORDNUNGSSYSTEM

84138 101

17 pieces, suitable for tool cabinet art. no. 82335.

84138 102

15 pieces, suitable for tool cabinet art. no. 84300.

84138 103

21 pieces, suitable for tool cabinet art. no. 84320.

84138 101	Set with 17 pieces, consisting of:	
1 x base plate	455 x 525 mm	(art. no. 84135 100)
2 x UNI-BOX	96 x 192 x 48 mm	(art. no. 84131 203)
2 x UNI-BOX	96 x 240 x 48 mm	(art. no. 84131 204)
4 x UNI-BOX	96 x 96 x 48 mm	(art. no. 84131 201)
3 x UNI-BOX	48 x 96 x 24 mm	(art. no. 84131 101)
1 x UNI-BOX	144 x 192 x 26 mm	(art. no. 84132 103)
2 x VARIO-BOX	96 x 96 x 24 mm	(art. no. 84133 103)
2 x VARIO-BOX	96 x 96 x 24 mm	(art. no. 84133 104)

84138 102	Set with 15 pieces, consisting of:	
1 x base plate	430 x 600 mm	(art. no. 84135 099)
2 x UNI-BOX	96 x 288 x 48 mm	(art. no. 84131 205)
2 x UNI-BOX	96 x 144 x 48 mm	(art. no. 84131 202)
4 x UNI-BOX	96 x 96 x 48 mm	(art. no. 84131 201)
2 x UNI-BOX	96 x 240 x 48 mm	(art. no. 84131 204)
1 x UNI-BOX	144 x 192 x 24 mm	(art. no. 84132 103)
2 x VARIO-BOX	96 x 96 x 24 mm	(art. no. 84133 103)
2 x VARIO-BOX	96 x 96 x 24 mm	(art. no. 84133 104)

84138 103	Set with 21 pieces, consisting of:	
1 x base plate	600 x 600 mm	(art. no. 84135 102)
6 x UNI-BOX	96 x 336 x 48 mm	(art. no. 84131 206)
3 x UNI-BOX	96 x 122 x 48 mm	(art. no. 84131 203)
6 x UNI-BOX	96 x 96 x 24 mm	(art. no. 84131 201)
6 x UNI-BOX	48 x 96 x 24 mm	(art. no. 84131 101)

	84138	...
17 pieces		101
15 pieces		102
21 pieces		103



Info

The simple way to get an overview

AQURADO®
MODULARES ORDNUNGSSYSTEM

Textured mat for an optimum grip of modules and for protecting contents; can be cut to ANY drawer size!

Scoring



Breaking



Bonding



Filling with modules




Info


HHW drawer cabinets series T500 and T736

All series offer you:


- Secure central locking with „B+H locking system“, theft-proof, combination locking systems possible
- 100% extension with various drawer load capacities of 50 - 300 kg
- Increased tip safety through drawer individual extension; only a single drawer can be opened
- Frame reinforced, very stable housing
- Powder coating in 15 standard colours using environmentally friendly painting process.
Two-tone painting in standard colours without surcharge
- Manufacturing exclusively in Germany



Drawer space



Drawer partitioning



Partitioning and accessories

Info

Drawer cabinets depth 500 mm

Features

3 widths:

- Width: 530 mm
- Width: 680 mm
- Width: 980 mm

- Housing depth 500 mm

- Interior drawer depth generally 400 mm

Various heights:

- Width 530 mm: Heights 469, 519, 619, 719, 819, 919 and 1019 mm
- Width 680 mm: Heights 519, 619, 719, 819, 919, 1019 and 1319 mm
- Width 980 mm: Heights 619, 719, 819, 919, 1019 and 1319 mm

- Integrated aluminium handle strips, flush with housing

- Zinc-plated drawers **with slotted sidewalls in 50 mm grid** for subdivisions - fast, comprehensive, efficient partitioning is guaranteed

- Ball-bearing guides
- Full extension (FE) 100%
- Load capacity either 50 kg or 75 kg
- With a panel height of 75 mm, a load capacity of 50 kg only is possible

- Drawers in panel heights of 75, 100, 150, 200, 250 and 300 mm

- Cabinet housing load capacity up to 1.2 t



Info

Drawer cabinets depth 736 mm

Features

4 widths:

- Width: 555 mm
- Width: 705 mm
- Width: 1005 mm
- Width: 1305 mm

- Housing depth 736 mm

- Interior drawer depth generally 600 mm

Various heights:

- Width 555 mm: Heights 519, 619, 719, 819, 919, 1019, 1219, 1319 and 1519 mm
- Width 705 mm: Heights 519, 619, 719, 819, 919, 1019, 1219, 1319 and 1519 mm
- Width 1005 mm: Heights 519, 619, 719, 819, 919, 1019, 1219, 1319 and 1519 mm
- Width 1305 mm: Heights 819, 919, 1019, 1219, 1319 and 1519 mm

- Recessed, integrated aluminium handle strips, flush with housing

- Drawers in panel heights of 50, 75, 100, 125, 150, 175, 200, 250, 300 and 400 mm

- Powder-coated drawers **with slotted sidewalls in 25 mm grid** for subdivisions - fast, comprehensive, efficient partitioning is guaranteed

- Ball-bearing guides

- Full extension (FE) 100%, load-bearing capacity 70 kg (with 50 mm panel height)
- Full extension (FE) 100%, load-bearing capacity 100 kg (from 75 mm panel height)
- Full extension (FE) 100%, load-bearing capacity 180 kg (from 100 mm panel height)
- Optional: - Full extension (FE) 100%, load-bearing capacity 300 kg (from 100 mm panel height)

New:

- All T736 series drawer cabinets from a panel height of 75 mm can be equipped with soft close.
- Please indicate with your order the desired number of **drawers with soft close** (art. no 84391 101-102)
- Cannot be retrofitted to existing drawers.
- Cabinet housing load capacity up to 1.5 t
- TÜV Rheinland certificate: „GS“ mark for tested safety



Drawer tool cabinets T736 and T500 series

84250

HHW drawer tool cabinets T736 series/705 mm wide



Design

- Cabinet depth 736 mm
- Welded sheet steel construction
- Housing powder-coated
- Central locking
- **Drawer 100% full extension**
- Drawer panel height 50 mm:
load capacity: 70 kg
- Drawer panel height from 75 mm:
load capacity: 100 kg
- **Drawer useful dimensions 600 x 600 mm**
- Drawer guides are ball bearing mounted
- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips
- Housing paint RAL 7035, light grey
- Drawer paint RAL 5012 light blue or RAL 5010 gentian blue

Note:

Loading data with evenly distributed load.

For drawer fitting assortments,

see art. no. 84255-84256 and 84326-84377.

For accessories, see art. no. 84370-84385.

For cabinet housing, see art. no. 84410.

For drawers, see art. no. 84416-84418.


NEW

Depth 736 mm

With 7 drawers



With 9 drawers



Type	H x W x D mm	Tool cabinet with	RAL 7035/5012		RAL 7035/5010	
			84250	...	84250	...
710/7	1019 x 705 x 736	7 drawers		101		201
710/9	1019 x 705 x 736	9 drawers		102		202

84255 - 84256

Drawer fitting assortments T736 series/705 mm wide

84255

For art. no. 84250 701 + 801

Comprising:

1x set of type 130, 134, 135, 139 and

2x sets of type 144.

type 130



type 134



type 135



type 138



84256

For art. no. 84250 702 + 802

Comprising:

1x set of type 130, 140 and

2x sets of type 138, 143 and 144.

type 139



type 140



type 143



type 144



84255	...	84256	...
101		101	

Info

Supporting frame for OPT-I-STORE hard foam insert art. no. 59692 101

ATORN®

Design

- Two-tone supporting frame made of polyethylene (PE)
- Lightweight, durable, water-repellent, oil-resistant
- With shock-absorbing properties
- Colour black/blue
- The hard foam is durable, odour-free and suitable for use with foodstuffs

Applications

For clearly arranged, easily organised and protected storage of tools in drawers.




Figure shows supporting frame with

2x OPT-I-STORE hard foam inserts 260x345 mm:

- Hex socket wrench set (art. no. 59665)
- Screwdriver/T-handle wrench set (art. no. 59670)

84720

Drawer tool cabinets T500 series/980 mm wide


Design

- Welded sheet steel construction
- Housing: Powder-coated
- Drawers: Zinc-plated
- Central locking
- Drawers full extension (FE) 100%
- 50/75 kg load capacity per drawer
- Drawer guides are ball bearing mounted

- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips
- Drawer useful dimensions: 900 x 400 mm
- Cabinet depth: 500 mm
- For individual combination options, see art. no. 84731 + 84450 + 84453

With low depth
(500 mm)

8 drawers



Full extension
100%/50 kg
RAL 7035/5012

Full extension
100%/50 kg
RAL 7035/5010

Full extension
100%/75 kg
RAL 7035/5012

Full extension
100%/75 kg
RAL 7035/5010

Dimensions H x W x D mm	Tool cabinet with	84720	...	84720	...	84720	...	84720	...
819 x 980 x 500	5 drawers		505		501		405		401
1019 x 980 x 500	7 drawers		502		503		402		403
1319 x 980 x 500	8 drawers		506		504		406		404

84731

Drawer fitting assortments T500 series/980 mm wide

Applications

For cabinets 980 mm wide.

Note:

For individual drawer fitting parts,
see art. no. 84450-84478.

For accessories, see art. no. 84724 - 84734


- TP = trough plate,
Ins = trough insert wall,
SPB = small part box,
CC = central compartment rail,
D = divider



Ribbed rubber inlay (oil-resistant) 900 x 400 mm
Smooth closing of drawers, also in combination with
metal drawer partitioning

6 x TP with 4 troughs
4 x TP with 3 troughs
2 x TP with 2 troughs
16 x Ins for 4 troughs
12 x Ins for 3 troughs
4 x Ins for 2 troughs
1 x CC 900 mm
2 x D 100 mm

9 x SPB 150 x 150 mm
4 x SPB 75 x 150 mm
4 x SPB 75 x 75 mm
1 x CC 900 mm
2 x D 100 mm



3 x CC 400 mm, 5 x D 200 mm, 1 x D 300 mm

2 x CC 400 mm, 5 x D 300 mm

2 x CC 400 mm, 3 x D 300 mm

For front height mm	84731	...	84731	...	84731	...	84731	...	84731	...
100			102		101		104		204	304
150							105		205	305
200							106		206	306
All front heights		103								

Continued

Drawer tool cabinets T500 series/980 mm wide

84728

Cabinet housing T500 series/980 mm wide



Design

For variable installation of drawers art. no. 84730 with different front heights.

Standard colour:

RAL 7035 light grey, powder-coated.

Other paints in RAL 3003, 5010, 6011 and 7016 deliverable without surcharge (not in stock).

Note:

The sum of drawer front heights must add up to the useful height of the housing.

84728

Dimensions H x W x D mm	Housing useful height mm	84728	...
819 x 980 x 500	700		601
1019 x 980 x 500	900		602
1319 x 980 x 500	1200		603



84730

Drawers T500 series/980 mm wide

Design

- Dimensions W x D 900 x 400 mm
- Sidewalls with rows of slots on all sides
- Grid spacing 25 mm

84730 506-811

Design

- Drawers full extension (FE) 100%/50 kg

84405 606-711

Design

- Drawers full extension (FE) 100%/75 kg

Note:
Drawers in 13 additional standard colours available at no additional charge (RAL 1023, 3003, 3020, 5002, 5005, 5013, 6011, 6018, 7016, 7035, 7040, 9005, 9010).



84730

Front height mm	Full extension 100%/50 kg RAL 7035/5012	...	Full extension 100%/50 kg RAL 7035/5010	...	Full extension 100%/75 kg RAL 7035/5012	...	Full extension 100%/75 kg RAL 7035/5010	...
100	84730		84730		84730		84730	
150		506		806		706		606
200		507		807		707		607
300		508		808		708		608
		511		811		711		611

84732

Drawer fitting assortments T500 series/980 mm wide



Design

Sheet steel slotted walls, powder-coated. Separating plates made of zinc-plated sheet steel.

Height 85 mm, for front height 100 mm.

Height 135 mm, for front height 150 mm.

Complete combination per drawer (see model).

Applications

For drawer tool cabinet T500 series (art. no. 84720) and single drawer T500 series (art. no. 84730).

84732 201+204



84732 202+205



84732 203+206



For front height mm	No. of compartments	Central compartment rails qty x length x height	Dividers qty x length x height	84732	...
100	12	2 x 400 x 85	9 x 300 x 85		201
100	16	3 x 400 x 85	6 x 250 x 85 and 6 x 200 x 85		202
100	20	4 x 400 x 85	6 x 150 x 85 and 9 x 200 x 85		203
150	12	2 x 400 x 135	9 x 300 x 135		204
150	16	3 x 400 x 135	6 x 250 x 135 and 6 x 200 x 135		205
150	20	4 x 400 x 135	6 x 150 x 135 and 9 x 200 x 135		206



Hinged doors**Design**

- With rotary latch cylinder lock
- Includes 2 x keys
- Internal hinged doors

Scope of delivery

2 doors

Version	For useful height mm	For cabinet W x D mm	RAL 5012		RAL 5010	
			84734	...	84734	...
2 doors	700	980 x 500		302 NEW		402 NEW
2 doors	900	980 x 500		303 NEW		403 NEW



84734 302-403



84734 104

Shelf**Design**

- Shelf load: 80 kg
- Sheet thickness 1 mm
- Shelf 22 mm front, rear 40 mm bent
- Includes 4 H-shaped shelf holders
- Colour: RAL 7035



84734 105

Pallet truck base**Design**

- Strong, sturdy construction
- With 2 panels.
- Colour: RAL 7035

Note:

Transportable only in unloaded state,
max. cabinet height 1019 mm.
Fork lift-compatible base deliverable on request.



84734 106

Mobile addition**Design**

- Steel plate with 4 x steering rollers Ø 125 mm
- 2 of which have locking device
- Incl. push handle for tool cabinet
- Colour: RAL 7035

RAL 7035		
For cabinet W x D mm	84734	...
980 x 500		104

RAL 7035		
Width mm	Depth mm	Height mm
980	500	112

84734

105

RAL 7035		
Width mm	Depth mm	Height mm
980	500	150

84734

106



84731 103


Ribbed rubber inlay**Design**

- Oil resistant
- Smooth closing of drawers, also in combination with metal drawer partitioning
- Colour: black

Width mm	Depth mm	Height mm	84731	...
900	400	3		103

84731

103



84734 108

Non-slip mat**Design**

- Non-slip mat secures tools
- Inlay for drawer
- Smooth closing of drawer, also in combination with metal drawer partitioning
- Colour: black

Width mm	Depth mm	Height mm	84734	...
900	400	3		108

84734

108



84734 109

Cover panel**Design**

- Beech multiplex plywood panel
- Produced from multi-layered, waterproof, glued beech wood
- With even strength in longitudinal and transverse direction

Width mm	Depth mm	Height mm	84734	...
980	500	25		109

84734

109

Cover panel**Design**

- Melamine resin-coated chipboard
- Colour: RAL 7035
- 19 mm boltable



84734 110

Metal anti-roll-off edging**Design**

- Sheet steel with 20 mm edges on three sides, 1.5 mm thick, powder-coated
- Colour: RAL 7035



84734 111

RAL 7035		
Width mm	Depth mm	Height mm
980	500	19

84734

110

RAL 7035		
Width mm	Depth mm	Height mm
980	500	20

84734

111

Drawer tool cabinets T736 series/555 mm wide

84301 - 84391

Drawer tool cabinets T736 series/555 mm wide



Design

- Cabinet depth 736 mm
- Welded sheet steel construction
- Housing powder-coated
- Central locking

- Drawer 100% full extension

- Drawer panel height 50 mm:
load capacity: 70 kg
- Drawer panel height from 75 mm:
load capacity: 100 kg

- Drawer useful dimensions 450 x 600 mm

- Drawer guides are ball bearing mounted
- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips

- Housing paint RAL 7035, light grey
- Drawer paint RAL 5012 light blue or RAL 5010 gentian blue Colour combination RAL 7035 light grey/7016 anthracite can be ordered via the HHW online shop
- Other colours deliverable on request

Note:

Loading data with evenly distributed load.

For drawer fitting assortments,

see art. no. 84306-84377.

For accessories, see art. no. 84370-84385.

For cabinet housing, see art. no. 84400.

For drawers, see art. no. 84405.

Depth 736 mm



NEW

Drawer tool cabinets in the most common drawer combinations:




4 drawers
Type 508/4



5 drawers
Type 508/5



7 drawers
Type 508/7



5 drawers
Type 510/5



6 drawers
Type 510/6



7 drawers
Type 510/7

Type	H x W x D mm	Tool cabinet with	RAL 7035/5012		RAL 7035/5010	
			84301	...	84301	...
508/4	819 x 555 x 736	4 drawers	101		201	
508/5	819 x 555 x 736	5 drawers	102		202	
508/7	819 x 555 x 736	7 drawers	103		203	
510/5	1019 x 555 x 736	5 drawers	104		204	
510/6	1019 x 555 x 736	6 drawers	105		205	
510/7	1019 x 555 x 736	7 drawers	106		206	

Soft-close drawers

- Possible from a panel height of 75 mm
- Please indicate with your order the desired number of drawers with soft close
- The price shown is the extra price per drawer
- Cannot be retrofitted to existing drawers

remain open for at least 5 seconds because of the soft-close cylinder, as otherwise the soft-close mechanism will be damaged. Proper functioning is then no longer guaranteed.

Note:

Please note! When opening, the drawer must

Soft-close drawers

Application from panel height mm	Load capacity kg	84391	...
75	100		101
100	180		102

NEW



84306 - 84377

Drawer fitting assortments T736 series/555 mm wide

Applications

For cabinets 555 mm wide.

Note:

For individual drawer fitting parts, see art. no. 84450-84478.

TP = trough plate,
Ins = trough insert wall,
SPB = small part box,
CC = central compartment rail,
D = divider.



Model: 501

1 x ribbed rubber inlay 450 x 600 mm

84377



Model: 502

8 x TP with 4 troughs,
4 x TP with 3 troughs,
20 x Ins for 4 troughs,
40 x Ins for 3 troughs

84306



Model: 504

6 x SPB 150 x 150 x 65 mm,
6 x SPB 75 x 150 x 65 mm,
12 x SPB 75 x 75 x 65 mm


84307



Model: 505

4 x CC 600 mm, 5 x D 50 mm, 16 x D 100 mm

84308



Model: 506

3 x CC 600 mm, 5 x D 75 mm, 5 x D 150 mm

84309



Model: 507

2 x CC 600 mm, 6 x D 150 mm

84310

Model	501	502	504	505	506	507
For front height mm	84377	84306	84307	84308	84309	84310
50		201		101	101	101
75				102	102	102
100 and 125			103	103	103	103
150 and 175						104
200						105
All front heights	101					

84400

Cabinet housing T736 series/555 mm wide



Design

Cabinet housing made of high-quality fine sheeting 1.0 mm thick, solid and precise workmanship, special profile reinforcements to ensure the necessary stability. **Sheet steel cover, with central lock and drawer lock** (only 1 drawer extendible), **but without drawers** and without guide rails, variable installation of drawers with different front heights.

Standard colour:

RAL 7035 Light grey.
Other paints in RAL 3003, 3020, 5012, 5013, 5015, 6011, 9005 and 7040 deliverable without surcharge (not in stock).

Note:

The sum of drawer front heights must add up to the useful height of the housing.



84400

External dimensions H x W x D mm	Housing useful height mm	84400	...
519 x 555 x 736	400	601	
819 x 555 x 736	700	602	
919 x 555 x 736	800	604	NEW
1019 x 555 x 736	900	603	
1319 x 555 x 736	1200	605	NEW

Continued

Drawer tool cabinets T736 series/555 mm wide

84405

Drawers T736 series/555 mm wide

Design

- Dimensions W x D 450 x 600 mm
- Sidewalls with rows of slots on all sides
- Grid spacing 25 mm

Note:

Drawers in 13 additional standard colours available at no additional charge (RAL 1023, 3003, 3020, 5002, 5005, 5013, 6011, 6018, 7016, 7035, 7040, 9005, 9010).

84405 701 + 801

Design

- Drawers full extension (FE) 100%/70 kg

84405 702-709 and 802-809

Design


- Drawers full extension (FE) 100%/100 kg

84405 211-318

Design

- Drawers full extension (FE) 100%/180 kg

84405



	Full extension 100%/70 kg RAL 7035/5012	...	Full extension 100%/70 kg RAL 7035/5010	...	Full extension 100%/100 kg RAL 7035/5012	...	Full extension 100%/100 kg RAL 7035/5010	...	Full extension 100%/180 kg RAL 7035/5012	...	Full extension 100%/180 kg RAL 7035/5010	...
Front height mm	84405	...	84405	...	84405	...	84405	...	84405	...	84405	...
50	701		801									
75						702	802					
100						703	803			211 NEW	311 NEW	
125						704	804			212 NEW	312 NEW	
150						705	805			213 NEW	313 NEW	
175						706	806			214 NEW	314 NEW	
200						707	807			215 NEW	315 NEW	
250						708	808			216 NEW	316 NEW	
300						709	809			217 NEW	317 NEW	
400										218 NEW	318 NEW	

Hinged doors**Design**

- With rotary latch cylinder lock
- Includes 2 x keys
- Internal hinged door

Scope of delivery

1 door

Version	For useful height mm	For cabinet W x D mm	RAL 5012		RAL 5010	
			84380	...	84380	...
One door	700	555 x 736	111	NEW	211	NEW
One door	900	555 x 736	114	NEW	214	NEW



84380



84381



84379



84385

Shelf**Design**

- Shelf load: 80 kg
- Sheet thickness 1 mm
- Shelf 22 mm front, rear 40 mm bent
- Includes 4 H-shaped shelf holders
- Colour: RAL 7035

Pallet truck base**Design**

- Strong, sturdy construction
- With 2 panels.
- Colour: RAL 7035

Note:

Transportable only in unloaded state,
max. cabinet height 1019 mm.
Fork lift-compatible base deliverable on request.

Mobile addition**Design**

- Steel plate with 4 x steering rollers Ø 125 mm
- 2 of which have locking device
- Incl. push handle for tool cabinet
- Colour: RAL 7035


For cabinet W x D mm	RAL 7035	84381	...
555 x 736	101		

Width mm	Depth mm	Height mm	RAL 7035	84379	...
555	736	112	601		

Width mm	Depth mm	Height mm	RAL 7035	84385	...
555	736	150	101		



84377



84378



84371

Ribbed rubber inlay**Design**

- Oil resistant
- Smooth closing of drawers, also in combination with metal drawer partitioning
- Colour: black

Non-slip mat**Design**

- Non-slip mat secures tools
- Inlay for drawer
- Smooth closing of drawer, also in combination with metal drawer partitioning
- Colour: black

Cover panel**Design**

- Beech multiplex plywood panel
- Produced from multi-layered, waterproof, glued beech wood
- With even strength in longitudinal and transverse direction

Width mm	Depth mm	Height mm	84377	...
450	600	3	101	

Width mm	Depth mm	Height mm	84378	...
450	600	3	101	

Width mm	Depth mm	Height mm	84371	...
555	736	25	101	



84370



84373



84376

Cover panel**Design**

- Melamine resin-coated chipboard
- Colour: RAL 7035
- 19 mm boltable

Metal anti-roll-off edging**Design**

- Sheet steel with 20 mm edges on three sides, 1.5 mm thick, powder-coated
- Colour: RAL 7035

Ribbed rubber support**Design**

- Oil resistant
- Can be used in conjunction with anti-roll-off edging (art. no. 84373 601)
- Can also be used as a separate support
- Colour: black

Width mm	Depth mm	Height mm	RAL 7035	84370	...
555	736	19	101		

Width mm	Depth mm	Height mm	RAL 7035	84373	...
555	736	20	601		

Width mm	Depth mm	Height mm	84376	...
555	736	3	101	

Drawer tool cabinets T736 series/705 mm wide

84320 - 84391

Drawer tool cabinets T736 series/705 mm wide



Design

- Cabinet depth 736 mm
- Welded sheet steel construction
- Housing powder-coated
- Central locking

- Drawer 100% full extension

- Drawer panel height 50 mm:
load capacity: 70 kg
- Drawer panel height from 75 mm:
load capacity: 100 kg

- Drawer useful dimensions 600 x 600 mm

- Drawer guides are ball bearing mounted
- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips

- Housing paint RAL 7035, light grey
- Drawer paint RAL 5012 light blue or RAL 5010 gentian blue Colour combination RAL 7035 light grey/7016 anthracite can be ordered via the HHW online shop
- Other colours deliverable on request

Note:

Loading data with evenly distributed load.

For drawer fitting assortments,

see art. no. 84326-84377.

For accessories, see art. no. 84370-84385.

For cabinet housing, see art. no. 84410.

For drawers, see art. no. 84416-84418.

Depth 736 mm



NEW

Drawer tool cabinets in the most common drawer combinations:



5 drawers
Type 708/5



7 drawers
Type 708/7




5 drawers
Type 710/5



6 drawers
Type 710/6



11 drawers
Type 710/11



9 drawers
Type 713/9

Type	H x W x D mm	Tool cabinet with	RAL 7035/5012		RAL 7035/5010	
			84320	...	84320	...
708/5	819 x 705 x 736	5 drawers			111	211
708/7	819 x 705 x 736	7 drawers			112	212
710/5	1019 x 705 x 736	5 drawers			113	213
710/6	1019 x 705 x 736	6 drawers			114	214
710/11	1019 x 705 x 736	11 drawers			115	215
713/9	1319 x 705 x 736	9 drawers			116	216

Soft-close drawers

- Possible from a panel height of 75 mm
- Please indicate with your order the desired number of drawers with soft close
- The price shown is the extra price per drawer
- Cannot be retrofitted to existing drawers

Note:

Please note! When opening, the drawer must remain open for at least 5 seconds because of the soft-close cylinder, as otherwise the soft-close mechanism will be damaged. Proper functioning is then no longer guaranteed.

NEW



Soft-close drawers		Load capacity kg	
Application from panel height mm			
75	100		101
100	180		102

84326 - 84377

Drawer fitting assortments T736 series/705 mm wide

Applications

For cabinets 705 mm wide.

Note:

For individual drawer fitting parts, see art. no. 84450 - 84478.

TP = trough plate,
Ins = trough insert wall,
SPB = small part box,
CC = central compartment rail,
D = divider.



84377



84326



84327

Model: 701

1 x ribbed rubber inlay 600 x 600 mm

Model: 702


4 x TP with 4 troughs, 20 x Ins for 4 troughs,
8 x TP with 3 troughs, 30 x Ins for 3 troughs,
4 x TP with 2 troughs, 10 x Ins for 2 troughs

Model: 704

8 x SPB 150 x 150 x 65 mm,
8 x SPB 75 x 150 x 65 mm,
16 x SPB 75 x 75 x 65 mm



84328



84329



84330

Model: 705

7 x CC 600 mm, 11 x D 50 mm,
16 x D 75 mm, 9 x D 100 mm

Model: 706

5 x CC 600 mm, 15 x D 75 mm,
4 x D 100 mm, 3 x D 200 mm

Model: 707

3 x CC 600 mm, 9 x D 150 mm

Model	701	702	704	705	706	707
For front height mm	84377	84326	84327	84328	84329	84330
50		201		101	101	101
75				102	102	102
100 and 125			103	103	103	103
150 and 175						104
200						105
All front heights	102					

84410

Cabinet housing T736 series/705 mm wide



Design

Cabinet housing made of high-quality fine sheeting 1.0 mm thick, solid and precise workmanship. Special profile reinforcements to ensure the necessary stability. Sheet steel cover, **with central lock and drawer lock** (only 1 drawer extendible), **but without drawers** and without guide rails, variable installation of drawers with different front heights and load.

Standard colour:

RAL 7035 Light grey.
Other paints in RAL 3003, 3020, 5012, 5013, 5015, 6011, 9005 and 7040 deliverable without surcharge (not in stock).

Note:

The sum of drawer front heights must add up to the useful height of the housing.

84410



External dimensions H x W x D mm	Housing useful height mm	84410	...
519 x 705 x 736	400	601	
819 x 705 x 736	700	602	
1019 x 705 x 736	900	603	
1319 x 705 x 736	1200	604	
1519 x 705 x 736	1400	605	

Continued

Drawer tool cabinets T736 series/705 mm wide

84416 - 84418

Drawers T736 series/705 mm wide

Design

- Dimensions W x D 600 x 600 mm
- Sidewalls with rows of slots on all sides
- Grid spacing 25 mm

Note:

Drawers in 13 additional standard colours available at no additional charge (RAL 1023, 3003, 3020, 5002, 5005, 5013, 6011, 6018, 7016, 7035, 7040, 9005, 9010).

84416 501 + 601

Design

- Drawers full extension (FE) 100%/70 kg

84416 502-509 and 602-609

Design

- Drawers full extension (FE) 100%/100 kg

84418

Design

- Drawers full extension (FE) 100%/180 kg

84416 - 84418



Front height mm	Full extension 100%/70 kg RAL 7035/5012	...	Full extension 100%/70 kg RAL 7035/5010	...	Full extension 100%/100 kg RAL 7035/5012	...	Full extension 100%/100 kg RAL 7035/5010	...	Full extension 100%/180 kg RAL 7035/5012	...	Full extension 100%/180 kg RAL 7035/5010	...
50	84416	...	84416	...	84416	...	84416	...	84418	...	84418	...
75	501	...	601	...		...		...		...		...
100					502	...	602	...		...		...
125					503	...	603	...	513	NEW	713	NEW
150					504	...	604	...	514	NEW	714	NEW
175					505	...	605	...	515	NEW	715	NEW
200					506	...	606	...	516	NEW	716	NEW
250					507	...	607	...	517	NEW	717	NEW
300					508	...	608	...	518	NEW	718	NEW
CNC 300					509	...	609	...	519	NEW	719	NEW
CNC 400									520	NEW	720	NEW
									521	NEW	721	NEW

Info

Supporting frame for OPT-I-STORE hard foam insert art. no. 59692 101

ATORN®

Design

- Two-tone supporting frame made of polyethylene (PE)
- Lightweight, durable, water-repellent, oil-resistant
- With shock-absorbing properties
- Colour black/blue
- The hard foam is durable, odour-free and suitable for use with foodstuffs

Applications

For clearly arranged, easily organised and protected storage of tools in drawers.



Figure shows supporting frame with
2x OPT-I-STORE hard foam inserts 260x345 mm:
- Hex socket wrench set (art. no. 59665)
- Screwdriver/T-handle wrench set (art. no. 59670)



Hinged doors**Design**

- With rotary latch cylinder lock
- Includes 2 x keys
- Internal hinged door

Scope of delivery

1 door

Version	For useful height mm	For cabinet W x D mm	RAL 5012		RAL 5010	
			84380	...	84380	...
One door	700	705 x 736	112	NEW	212	NEW
One door	900	705 x 736	115	NEW	215	NEW



84380



84381



84379



84385

Shelf**Design**

- Shelf load: 80 kg
- Sheet thickness 1 mm
- Shelf 22 mm front, rear 40 mm bent
- Includes 4 H-shaped shelf holders
- Colour: RAL 7035

Pallet truck base**Design**

- Strong, sturdy construction
- With 2 panels.
- Colour: RAL 7035

Note:

Transportable only in unloaded state,
max. cabinet height 1019 mm.
Fork lift-compatible base deliverable on request.

Mobile addition**Design**

- Steel plate with 4 x steering rollers Ø 125 mm
- 2 of which have locking device
- Incl. push handle for tool cabinet
- Colour: RAL 7035


RAL 7035		
For cabinet W x D mm	84381	...
705 x 736	102	

RAL 7035		
Width mm	Depth mm	Height mm
705	736	112
		602

RAL 7035		
Width mm	Depth mm	Height mm
705	736	150
		102



84377



84378



84371

Ribbed rubber inlay**Design**

- Oil resistant
- Smooth closing of drawers, also in combination with metal drawer partitioning
- Colour: black

Non-slip mat**Design**

- Non-slip mat secures tools
- Inlay for drawer
- Smooth closing of drawer, also in combination with metal drawer partitioning
- Colour: black

Cover panel**Design**

- Beech multiplex plywood panel
- Produced from multi-layered, waterproof, glued beech wood
- With even strength in longitudinal and transverse direction

Width mm	Depth mm	Height mm	84377	...
600	600	3	102	

Width mm	Depth mm	Height mm	84378	...
600	600	3	102	

Width mm	Depth mm	Height mm	84371	...
705	736	25	102	



84370



84373



84376

Cover panel**Design**

- Melamine resin-coated chipboard
- Colour: RAL 7035
- 19 mm boltable

Metal anti-roll-off edging**Design**

- Sheet steel with 20 mm edges on three sides, 1.5 mm thick, powder-coated
- Colour: RAL 7035

Ribbed rubber support**Design**

- Oil resistant
- Can be used in conjunction with anti-roll-off edging (art. no. 84373 602)
- Can also be used as a separate support
- Colour: black

RAL 7035		
Width mm	Depth mm	Height mm
705	736	19
		102

RAL 7035		
Width mm	Depth mm	Height mm
705	736	20
		602

Width mm	Depth mm	Height mm	84376	...
705	736	3	102	

Drawer tool cabinets T736 series/1005 mm wide

84342 - 84391

Drawer tool cabinets T736 series/1005 mm wide



Design

- Cabinet depth 736 mm
- Welded sheet steel construction
- Housing powder-coated
- Central locking
- **Drawer 100% full extension**
- Drawer panel height 50 mm:
load capacity 70 kg
- Drawer panel height from 75 mm:
load capacity: 100 kg
- **Drawer useful dimensions 900 x 600 mm**
- Drawer guides are ball bearing mounted
- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips

- Housing paint RAL 7035, light grey
- Drawer paint RAL 5012 light blue or RAL 5010 gentian blue Colour combination RAL 7035 light grey/7016 anthracite can be ordered via the HHW online shop
- Other colours deliverable on request

Note:

Loading data with evenly distributed load.

For drawer fitting assortments,

see art. no. 84346-84377.

For accessories, see art. no. 84370-84385.

For cabinet housing, see art. no. 84420.

For drawers, see art. no. 84426-84428.

Depth 736 mm



NEW

Drawer tool cabinets in the most common drawer combinations:




6 drawers
Type 1010/6




7 drawers
Type 1010/7




8 drawers
Type 1010/8



9 drawers
Type 1013/9



11 drawers
Type 1013/11



10 drawers
Type 1015/10

Type	H x W x D mm	Tool cabinet with	RAL 7035/5012 84342	RAL 7035/5010 84342	...
1010/6	1019 x 1005 x 736	6 drawers		101	201
1010/7	1019 x 1005 x 736	7 drawers		102	202
1010/8	1019 x 1005 x 736	8 drawers		103	203
1013/9	1319 x 1005 x 736	9 drawers		105	205
1013/11	1319 x 1005 x 736	11 drawers		104	204
1015/10	1519 x 1005 x 736	10 drawers		106	206

Soft-close drawers

- Possible from a panel height of 75 mm
- Please indicate with your order the desired number of drawers with soft close
- The price shown is the extra price per drawer
- Cannot be retrofitted to existing drawers

Note:

Please note! When opening, the drawer must remain open for at least 5 seconds because of the soft-close cylinder, as otherwise the soft-close mechanism will be damaged. Proper functioning is then no longer guaranteed.

NEW



Soft-close drawers

Application from panel height mm	Load capacity kg	84391	...
75	100		101
100	180		102


Applications

For cabinets 1005 mm wide.


Note:

For individual drawer fitting parts,
see art. no. 84450-84478.

TP = trough plate,
Ins = trough insert wall,
SPB = small part box,
CC = central compartment rail,
D = divider.



84377



84346



84347

Model: 1001

1 x ribbed rubber inlay 900 x 600 mm

Model: 1002

8 x TP with 4 troughs, 40 x Ins for 4 troughs,
8 x TP with 3 troughs, 30 x Ins for 3 troughs,
8 x TP with 2 troughs, 20 x Ins for 2 troughs

Model: 1004

9 x SPB 150 x 150 x 65 mm,
18 x SPB 75 x 150 x 65 mm,
24 x SPB 75 x 75 x 65 mm



84348



84349



84350

Model: 1005

8 x CC 600 mm, 30 x D 100 mm

Model: 1006

6 x CC 600 mm, 8 x D 75 mm, 8 x D 150 mm

Model: 1007

5 x CC 600 mm, 15 x D 150 mm

Model	1001		1002		1004		1005		1006		1007	
For front height mm	84377	...	84346	...	84347	...	84348	...	84349	...	84350	...
50				201					101	101		101
75									102	102		102
100 and 125					103			103	103	103		103
150 and 175												104
200												105
All front heights		103										

**Design**

Cabinet housing made of high-quality fine sheeting 1.0 mm thick, solid and precise workmanship. Special profile reinforcements to ensure the necessary stability, sheet steel cover, **with central lock and drawer lock**, (only 1 drawer extendible), **but without drawers** and without guide rails, variable installation of drawers with different front heights and load.

Standard colour:

RAL 7035 Light grey.

Other paints in RAL 3003, 3020, 5012, 5013, 5015, 6011, 9005 and 7040 deliverable without surcharge (not in stock).

Note:

The sum of drawer front heights must add up to the useful height of the housing.

84420



Continued

External dimensions H x W x D mm	Housing useful height mm	84420	...
819 x 1005 x 736	700		600
1019 x 1005 x 736	900		601
1319 x 1005 x 736	1200		602
1519 x 1005 x 736	1400		603

Drawer tool cabinets T736 series/1005 mm wide

84426 - 84428

Drawers T736 series/1005 mm wide

Design

- Dimensions W x D 900 x 600 mm
- Sidewalls with rows of slots on all sides
- Grid spacing 25 mm

Note:

Drawers in 13 additional standard colours available at no additional charge (RAL 1023, 3003, 3020, 5002, 5005, 5013, 6011, 6018, 7016, 7035, 7040, 9005, 9010).

84426 501 + 401

Design

- Drawers full extension (FE) 100%/100 kg

84426 502-509 and 402-409

Design

- Drawers full extension (FE) 100%/100 kg

84428

Design

- Drawers full extension (FE) 100%/180 kg

84426 - 84428



Front height mm	Full extension 100%/70 kg RAL 7035/5012	...	Full extension 100%/70 kg RAL 7035/5010	...	Full extension 100%/100 kg RAL 7035/5012	...	Full extension 100%/100 kg RAL 7035/5010	...	Full extension 100%/180 kg RAL 7035/5012	...	Full extension 100%/180 kg RAL 7035/5010	...
50	84426	...	84426	...	84426	...	84426	...	84428	...	84428	...
75												
100												
125												
150												
175												
200												
250												
300												
400												

Hinged doors**Design**

- With rotary latch cylinder lock
- Includes 2 x keys
- Internal hinged doors

Scope of delivery

2 doors

Version	For useful height mm	For cabinet W x D mm	RAL 5012		RAL 5010	
			84380	...	84380	...
2 doors	700	1005 x 736	113	NEW	213	NEW
2 doors	900	1005 x 736	116	NEW	216	NEW



84380



84381



84379



84385

Shelf**Design**

- Shelf load: 80 kg
- Sheet thickness 1 mm
- Shelf 22 mm front, rear 40 mm bent
- Includes 4 H-shaped shelf holders
- Colour: RAL 7035

Pallet truck base**Design**

- Strong, sturdy construction
- With 2 panels.
- Colour: RAL 7035

Note:

Transportable only in unloaded state,
max. cabinet height 1019 mm.
Fork lift-compatible base deliverable on request.

Mobile addition**Design**

- Steel plate with 4 x steering rollers Ø 125 mm
- 2 of which have locking device
- Incl. push handle for tool cabinet
- Colour: RAL 7035


For cabinet W x D mm	RAL 7035	84381	...
1005 x 736	103		

Width mm	Depth mm	Height mm	RAL 7035	84379	...
1005	736	112	603		

Width mm	Depth mm	Height mm	RAL 7035	84385	...
1005	736	150	103		



84377



84378



84371

Ribbed rubber inlay**Design**

- Oil resistant
- Smooth closing of drawers, also in combination with metal drawer partitioning
- Colour: black

Non-slip mat**Design**

- Non-slip mat secures tools
- Inlay for drawer
- Smooth closing of drawer, also in combination with metal drawer partitioning
- Colour: black

Cover panel**Design**

- Beech multiplex plywood panel
- Produced from multi-layered, waterproof, glued beech wood
- With even strength in longitudinal and transverse direction

Width mm	Depth mm	Height mm	84377	...
900	600	3	103	

Width mm	Depth mm	Height mm	84378	...
900	600	3	103	

Width mm	Depth mm	Height mm	84371	...
1005	736	25	103	



84370



84373



84376

Cover panel**Design**

- Melamine resin-coated chipboard
- Colour: RAL 7035
- 19 mm boltable

Metal anti-roll-off edging**Design**

- Sheet steel with 20 mm edges on three sides, 1.5 mm thick, powder-coated
- Colour: RAL 7035

Ribbed rubber support**Design**

- Oil resistant
- Can be used in conjunction with anti-roll-off edging (art. no. 84373 603)
- Can also be used as a separate support
- Colour: black

Width mm	Depth mm	Height mm	RAL 7035	84370	...
1005	736	19	103		

Width mm	Depth mm	Height mm	RAL 7035	84373	...
1005	736	20	603		

Width mm	Depth mm	Height mm	84376	...
1005	736	3	103	

Drawer tool cabinets T736 series/1305 mm wide

84386 - 84391

Drawer tool cabinets T736 series/1305 mm wide



HHW

Design

- Welded sheet steel construction
- Housing powder-coated
- Drawers zinc-plated
- Central locking
- **Drawers full extension (FE) 100%**
- Drawer panel height 75 mm:
load capacity: 100 kg
- Drawer panel height from 100 mm:
load capacity: 180 kg
- Drawer guides are ball bearing mounted
- Single drawer lock
- Single locking possible per drawer
- Handle strips with labelling strips for insertion

- Drawer useful dimensions

W x D 1200 x 600 mm

- Individual combinations
- Housing paint RAL 7035, light grey
- Drawer paint RAL 5012 light blue or RAL 5010 gentian blue
- Other colours deliverable on request

Note:

Loading data with evenly distributed load.

For cabinet housing, see art. no. 84387.

For drawers, see art. no. 84388.

For drawer partitions, see art. no. 84389.




84386 101



84386 102



84386 103



84386 104

RAL 7035/5012

RAL 7035/5010

W x D x H mm	Drawers quantity	84386	...	84386	...
1305 x 736 x 819	6				
1305 x 736 x 1019	6				
1305 x 736 x 1019	9				
1305 x 736 x 1319	10				

Soft-close drawers

- Possible from a panel height of 75 mm
- Please indicate with your order the desired number of drawers with soft close
- The price shown is the extra price per drawer
- Cannot be retrofitted to existing drawers

Note:

Please note! When opening, the drawer must remain open for at least 5 seconds because of the soft-close cylinder, as otherwise the soft-close mechanism will be damaged. Proper functioning is then no longer guaranteed.



NEW

Soft-close drawers

Application from panel height mm	Load capacity kg	84391	...
75	100		
100	180		



84389

Drawer fitting assortments T736 series/1305 mm wide



Applications

For cabinets 1305 mm wide.

Note:

For drawer tool cabinets, see art. no. 84386.

For drawers, see art. no. 84388.



84389 101-102



For panel height mm	84389	...
75		101
100/125		102

For panel height mm	84389	...
75		103
100/125		104
150		105
200/300		106

84389 103-106



For panel height mm	84389	...
75		107
100/125		108
150		109
200/300		110

84389 107-110



84387

Cabinet housing T736 series/1305 mm wide



Design

- Housing including cylinder lock
- **Total height = useful height + 119 mm**
- Welded sheet steel construction
- Housing powder-coated
- Housing paint RAL 7035, light grey
- Other paints deliverable on request

Note:

For drawers, see art. no. 84388.

For drawer partitions, see art. no. 84389.

For drawer tool cabinets, see art. no. 84386.



84387

W x D x H mm	Useful height mm	RAL 7035	
		84387	...
1305 x 736 x 819	700		101
1305 x 736 x 919	800		102
1305 x 736 x 1019	900		103
1305 x 736 x 1219	1100		104
1305 x 736 x 1319	1200		105
1305 x 736 x 1519	1400		106



Factory equipment

84388

Drawers T736 series/1305 mm wide



Design

- Dimensions W x D 1200 x 600 mm
- **Drawers full extension (FE) 100%**
- Incl. rails
- Paint RAL 5012 light blue or RAL 5010 gentian blue
- Other colours deliverable on request

Note:

Loading data with evenly distributed load.

For cabinet housing, see art. no. 84387.

For drawer partitions, see art. no. 84389.

For drawer tool cabinets, see art. no. 84386.



84388



Panel height mm	Shell height mm	Useful height mm	Load capacity kg	RAL 7035/5012		RAL 7035/5010	
				84388	...	84388	...
75	56	58	100		101		201
100	81	83	180		102		202
125	81	108	180		103		203
150	131	133	180		104		204
175	131	158	180		105		205
200	181	183	180		106		206
250	181	233	180		107		207

84390

Drawers/sliding door cabinets T736 series/1410 mm wide



Design

Empty housing, sturdy, welded sheet steel construction, **double the width of the T736 series/705 mm wide (1410 mm)**. Designed as a machine storage cabinet. This cabinet is characterised by its compact and space-saving design. The installation grid (2 x 900 mm in height) and the drawers, extendible shelves and storage shelves correspond to T736 series drawer cabinets. Internal dimensions: 2 side-by-side compartments. With 2 smooth-running sliding doors, double edged and reinforced, security cylinder lock.

Standard colour:

Housing RAL 7035 light grey, sliding doors RAL 5012 light blue. Other paints in RAL 3003, 3020, 5013, 5015, 9005 and 7040 deliverable without surcharge (not in stock).

Note:

T736 series drawers 84415 and 84418 can be installed but without drawer lock.

Depth 790 mm

84390



Equipment example

External dimensions H x W x D mm	Housing useful height mm	RAL paint housing/sliding doors	84390	...
1019 x 1410 x 790	2 x 900	7035/5012	501	
1019 x 1410 x 790	2 x 900	7035/5010	401	

84392 - 84394

Shelves for drawers/sliding door cabinet T736 series/1410 mm wide



84392

Extendible shelf

Design

Roller guide, ball bearing mounted, complete with guide rails. Box height 80 mm, useful height 80 mm.

EA 80 = 93% extendible, 80 kg load capacity.

Perforated base, sidewalls on 3 sides with rows of slots. Usable surface area 600 x 600 mm.

84394

Shelf

Design

Sheet steel, height adjustable in grid 25:25 mm.

Load 100 kg. Usable surface area W x D 600 x 600 mm.



Standard colour: RAL 7035 Light grey.

Other paints in RAL 3003, 3020, 5012, 5013, 5015, 9005 and 7040 deliverable without surcharge (not in stock).

84392

84393

84394



84393

Extendible shelf

Design

Like art. no. 84392, though **FE 200 =**

100% extendible, 200 kg load capacity.

W x D x H mm	84392	...	84393	...	84394	...
600 x 615 x 55	101		101		101	



For drawer tool cabinets series T500 and T736/555, 705, 980, 1005, 1305 and 1410 mm wide

84450

Central compartment rails

Design

- Made of zinc-plated sheet steel
- Rows of slots on both sides
- 25 mm spacing

Note:

Compartment rails can be bolted to the drawer base for stability reasons (see art. no. 84455 - 84456).



84450

Applications

For drawers in series T500 and T736.

For front height mm	For drawers box height mm	Length mm	84450	...
50	30	596	601	
75	55	596	602	
100/125	80	596	603	
150/175	130	596	604	
200	180	596	605	

For front height mm	For drawers box height mm	Length mm	84450	...
100	85	400	501	
150	135	400	502	
200	185	400	503	

84453

Compartment dividers/dividers

Design

Made of zinc-plated sheet steel, for sliding into compartment rails. **Pack = 5 units.**



84453

For front height mm	For drawers box height mm	Length mm	84453	...
50	30	50	111	
50	30	75	112	
50	30	100	113	
50	30	150	114	
75	50	50	211	
75	50	75	212	
75	50	100	213	
75	50	150	214	
75	50	200	215	
100	85	100	601	
100	85	150	602	
100	85	200	603	
100	85	300	604	
100/125	75	50	311	
100/125	75	75	312	
100/125	75	100	313	
100/125	75	150	314	
100/125	75	200	315	
100/125	75	300	318	
100/125	80	225	316	

For front height mm	For drawers box height mm	Length mm	84453	...
150	135	100	605	
150	135	150	606	
150	135	200	607	
150	135	250	608	
150	135	300	609	
150/175	125	100	411	
150/175	125	150	412	
150/175	125	200	413	
150/175	125	300	416	
150/175	130	225	414	
200	175	100	511	
200	175	150	512	
200	175	200	513	
200	175	300	516	
200	180	225	514	
200	185	100	610	
200	185	150	611	
200	185	200	612	
200	185	250	613	
200	185	300	614	

84478

Spare handle strip covers

Design

Aluminium. With transparent cover and white paper strip.

Note:

From model year 2000.

Applications

For T500, T736 and T1005 series drawer tool cabinets.



84478

For series	84478	...
T500		101
T736		102
T1005		103

84457

Trough panels

Design


Basic grid dimensions 150 x 150 x 30 mm, made of red impact-resistant polystyrene, linkable, slotted, grid 14:14 mm, for supporting recessed trough panel plug-in walls art. no. 84459.

Applications

For storing delicate parts up to Ø 70 mm, e.g. cutting tools.

Note:

Number of trough panels per drawer for 50 series = 3 pack, 70 series = 4 pack, 100 series = 6 pack. Trough panels are fitted together lengthwise and crosswise.



No. of troughs	Trough width mm	Pack = piece	84457	...
2	70	4	101	
3	46	4	102	
4	34	4	103	

84458

Spacer strips for trough panels

Design


- Foam

Applications

As front and side compensation when using trough panels.

84458

For drawer cabinets width mm	Pack = parts	84458	...
555	6	101	
705	8	102	
1005	10	103	



84459

Trough panel plug-in walls


Design

Made of red impact-resistant polystyrene with identification label.

Applications

For partitioning or delimiting trough panels art. no. 84457.

For trough width mm	Pack = piece	84459	...
70	10	101	
46	20	102	
34	25	103	



84462 - 84465

Small parts boxes

Design

- Impact-resistant plastic, polystyrene
- Colour: red

84462

Applications

Can be used from a drawer front height of 50 mm.

84463

Applications

Can be used from a drawer front height of 75 mm.

84465

Applications

Can be used from a drawer front height of 100 mm.



Box height mm	Box size mm	Pack = unit	84462	...	84463	...	84465	...
28	150 x 150	4	301					
28	150 x 75	8	302					
28	75 x 75	16	303					
50	150 x 150	4			201			
50	150 x 75	8			202			
50	75 x 75	16			203			
65	150 x 150	4					101	
65	150 x 75	8					102	
65	75 x 75	16					103	


84480

Locks with keys




Standard equipment, keyed differently

Each lock can open only one particular cabinet.



Keyed alike

All locks have the same key.



Central locking system

A master key can be used to open cabinets with different locks.

Description	84480	...
Lock with 2 x keys for drawer cabinet		101
Lock with 2 x keys, keyed alike, for 50, 70 + 100 series drawer cabinet		102
Set of 2 keys		103
Master key for locking system B		104

84482 - 84484

E lock/RFID lock

Design

- Extremely user-friendly
- Simple user management
- **Electromechanical knob (Zn-Dr-painted)**
- **Battery pack (3 x AAA alkaline)**
- Splash protection
- Extremely low energy consumption
- Vertical and horizontal mounting position
- Simple installation
- Secure battery compartment
- Can be retrofitted

84482

E lock

Design

- Freely selectable user code 4-12 digits
- Learning/deletion system using master code
- Master code emergency opening
- Simple code conversion
- **Electronic control panel 0-9 (ABS)**
- **Master/user code (4-12 digits)**
- Option of right or left design

84482



84484

RFID lock

Design

- A master card can be used to administer up to 20 users
- 13.56 Mhz standard Mifare
- Easy integration into existing RFIDs
- Learning/deletion system using master card
- Master card emergency opening
- **RFID receiver module (ABS)**
- **Master/user card (13.56 Mhz standard)**

84484



Description	84482	...	84484	...
E lock			101	
RFID lock				101

84486 - 84488

Drawer cabinets C line and fitting assortments

84486

Drawer cabinets

Design

- Drawer cabinet with 7 drawers
- Frame reinforced, very stable housing
- Drawers with smooth sidewalls
- Drawers with 100% full extension with self-closing mechanism 80 kg (with front height 50 mm - 30 kg)

- Secure central locking

- **Increased tip safety; only a single drawer can be opened**

- Fittings can be inserted later on
- Plastic handle strips and trim panels are mounted on site for labelling
- Housing RAL 7035, light grey
- Drawers RAL 5012 light blue

84488

Fitting assortments

Design

- Individual

84486 101+201




84488 101



84486 102+202



84488 102



84486 103+203



84488 103



Body dimensions W x D x H mm	Drawers quantity	Drawer inner dimensions mm	RAL 7035/5012 84486	...	RAL 7035/5010 84486	...	Fittings set 84488	...
600 x 575 x 1020	7	500 x 450		201		101		101
700 x 575 x 1020	7	600 x 450		202		102		102
900 x 575 x 1020	7	800 x 450		203		103		103

84490

Modular shelving system

Design

The modular shelving system (MSS) allows for a flexible room design every time. Drawers, shelves, vertical extensions, CNC storage systems and closed wing door cabinets can be optimally integrated in a single product. The system offers three different heights. The MSS is designed in an endless configuration. Extend your setup at any time. Our wall connections are available as an individual solution where not fitting precisely.

Get in touch with us!

Excellent workmanship and material quality ensure the MSS is a long-term investment for your company.

- Good price/performance ratio
- Short delivery times
- Simple installation
- High degree of flexibility
- High quality
- Organisation and structure
- Perfect detail solutions
- Different colours

Note:

Please note that only 1 support frame is required between the individual modules.



84490 101

Module 1/700

Design

- 2 x support frames
- 1 x diagonal cross
- 3 x smooth Uni shelves (500 kg)
- 2 x slotted shelves (250 kg)
- 8 x shelf side panels
- 5 x shelf separating plates

84490 102-103

Module 2/700

Design

- 2 x support frames
- 1 x rear wall
- 2 x partition wall
- 2 x smooth Uni shelves (500 kg)
- 1 x support base set with cylinder lock for drawers 700/1300
- 11 x drawers FE 100% (80 or 200 kg)

84490 104-105

Module 3/1000

Design

- 2 x support frames
- 1 x rear wall
- 2 x partition wall
- 1 x hinged door installation set 1000/2000
- 2 x Uni shelves (500 kg) 56 mm high as cover and base
- 4 x 25 mm high shelves (250 kg) as intermediate shelves

84490 106-107

Module 4/1000

Design

- 2 x support frames
- 1 x rear wall
- 2 x partition wall
- 1 x support base set with cylinder lock for vertical cabinet 1000
- 3 x vertical extension without additional intermediate shelves or perforated walls

84490 101

Module 1/700



84490 102-103

Module 2/700



84490 104-105

Module 2/1000



84490 106-107

Module 4/1000



Module	Paint RAL	Height mm	Useful height mm	Width mm	Useful width mm	Depth mm	Interior drawer useful dimensions mm	84490	...
1/700	7035	2030	1906	749	651	733	-		101
2/700	7035/5012	2030	1906	749	651	733	600 x 600		102
2/700	7035/5010	2030	1906	749	651	733	600 x 600		103
3/1000	7035/5012	2030	1906	1049	951	733	-		104
3/1000	7035/5010	2030	1906	1049	951	733	-		105
4/1000	7035/5012	2030	1906	1049	951	733	-		106
4/1000	7035/5010	2030	1906	1049	951	733	-		107

84205

HHW service boxes

Your benefits - our service

- Reduction in processing costs
- No ordering and processing effort for recurring items
- Time saving
- Complete processing by **HHW** field service
- Saves on costs
- Reduction of tied-up capital
- No redundant stock keeping
- Price fixation
- Time-fixed, market-oriented pricing
- No additional costs
- All **HHW** services included in the price
- No zero stock balance
- Continuous availability of your top products through regular monitoring
- Automatic filling
- System replenishment according to agreed cycles by **HHW** field service
- Determination of consumption tools to be stored
- Creation of a customer-related shopping cart offer
- Determination of available stock quantities

- Definition of required fittings
- Contract design
- Development of visit and delivery cycles
- Commissioning of **HHW** service box



Design

Complete with roller-mounted fully extending drawers. Powder-coated housing.



Type	External dimensions H x W x D mm	Usable surface area H x W x D mm	Number of drawers x panel (usable) height mm	Drawer paint colour RAL	Housing paint colour RAL	84205	...
Top-mounted cabinet	538 x 610 x 535	450 x 477 x 410	5 x 90 (70)	5012 light blue	7035 light grey		101
Top-mounted cabinet	538 x 610 x 535	450 x 477 x 410	5 x 90 (70)	6011 reseda green	7035 light grey		102
Top-mounted cabinet	538 x 610 x 535	450 x 477 x 410	5 x 90 (70)	3020 traffic red	7035 light grey		103
Drawer cabinet	800 x 722 x 700	720 x 600 x 600	4 x 90 (70) + 3 x 120 (100)	5012 light blue	7035 light grey		201
Drawer cabinet	800 x 722 x 700	720 x 600 x 600	4 x 90 (70) + 3 x 120 (100)	6011 reseda green	7035 light grey		202
Drawer cabinet	800 x 722 x 700	720 x 600 x 600	4 x 90 (70) + 3 x 120 (100)	3020 traffic red	7035 light grey		203
Drawer cabinet	1036 x 722 x 700	960 x 600 x 600	8 x 120 (100)	5012 light blue	7035 light grey		301
Drawer cabinet	1036 x 722 x 700	960 x 600 x 600	8 x 120 (100)	6011 reseda green	7035 light grey		302
Drawer cabinet	1036 x 722 x 700	960 x 600 x 600	8 x 120 (100)	3020 traffic red	7035 light grey		303

84570

Computer cabinets (empty)



Design

Sheet steel cabinet housing, powder-coated. Rear wall with ventilation slots and fan. Lockable door, top with acrylic glass cut-out (H x W 320 x 420 mm), beneath is a spot-welded keyboard tray at an ergonomic height, including lid and mouse drawer. 3 adjustable shelves inside the cabinet.

Applications

For safe and secure housing of flat screen workstations in workshops.

84570 101

Design

Fixed. With feet projecting 750 mm. With checker plate cover.

84570 102

Design

Portable. With feet projecting 750 mm. With checker plate cover. Feet with 4 steering rollers, 2 of which are lockable. Roller Ø 75 mm.



Dimensions H x W x D mm	Number of shelves	Number of rollers	84570	...
1750 x 550 x 420	3	-		101
1850 x 550 x 420	3	4		102

84572

Mobile computer trolleys

84572 101+201

Design

- 2x hinged doors
- 1x inclined storage
- 1x slide-out keyboard tray
- 1x shelf
- Perforated rear wall
- 1x flat screen mount with VESA fitting
- 1x 4-way socket
- Cable openings
- Vents in cabinet housing
- 2x fixed castors, Ø 125 mm
- 2x steering rollers Ø 125 mm with locking device
- Delivery without technical devices and without office supplies



84572 101+201

84572 102+202



84572 102+202

Design

- 1x hinged door
- 1x 25 mm beech multiplex panel
- 1x 100 mm drawer
- 1x shelf
- 1x 4-way socket
- Cable openings
- Vents in cabinet housing
- 2x fixed castors, Ø 125 mm
- 2x steering rollers Ø 125 mm with locking device
- Delivery without technical devices and without office supplies

84572 103+203

Design

- 1x hinged door
- 1x drawer
- 2x shelves
- 1x monitor support housing
- 1x mouse rest table
- 1x 4-way socket
- Ventilation slots
- 4x steering rollers Ø 125 mm, 2x with locking device
- Delivery without technical devices and without office supplies



84572 103+203

84572 104+204



84572 104+204

Design

- 1x hinged door
- 1x drawer
- 2x shelves
- 1x monitor mount with VESA fitting
- 1x mouse rest table
- 1x 4-way socket
- Ventilation slots
- 4x steering rollers Ø 125 mm, 2x with locking device
- Delivery without technical devices and without office supplies

RAL 7035/5012

RAL 7035/5010

Dimensions W x D x H mm	84572	...	84572	...
680 x 500 x 1610			101	201
530 x 500 x 1000			102	202
500 x 500 x 1550			103	203
500 x 500 x 1575			104	204

81901

Mobile standing desk

Design

- Mobile
- Fixed welded steel tube construction
- With desk attachment made of sheet steel
- Lockable desk lid made of sheet steel
- Cylinder lock incl. 2 keys
- Built-in cabinet with 1 door and
- Storage tray made of sheet steel with anti-roll-off edging as a cover

- Non-marking double steering rollers Ø 50 mm made from thermoplastic rubber
- Paint: Environmentally friendly powder coating
- Frame RAL 5010, gentian blue as standard
- Other RAL colours at no extra charge
- Desk attachment and tray always in RAL 7035, light grey
- Cabinet front deliverable only in RAL 5010 or RAL 7035

Total H x W x D mm	Built-in cabinet H x W x D mm	81901	...
1200 x 546 x 605	600 x 490 x 600		201



81901



Möbel für Menschen

84601 - 84602**Design**

- Durable steel construction
- Very good operating safety, wear resistance and attractive appearance with Ergo-Lock handle lock (3-latch lock) in black, with 2 keys
- Including top ribbed rubber mat and anti-roll-off edging
- Door suspension with approx. 110° opening angle
- Central door reinforcement for high door stability
- High flexibility of interior installation due to adjustment in increments of 15 mm
- 25 kg load per drawer
- High load of 70 kg per zinc-plated shelf

Note:**Drawer panel height 82 mm =**

Clear internal dimensions

H x W x D: 70 x 367 x 438 mm

Drawer panel height 125 mm =

Clear internal dimensions

H x W x D: 115 x 367 x 438 mm

Drawer panel height 170 mm =

Clear internal dimensions

H x W x D: 125 x 367 x 438 mm

84603**Drawer partitioning****Design**

- Plastic boxes for small parts
- Approx. 54 mm high

Applications

For storage cabinets art. no. 84601 and 84602.



84603



Wear-resistant and ergonomic, attractive appearance



Ergo Lock recessed handle lock, registered for patent



84601 602



84601 603



84601 604



84601 605



84602 602



84602 603



84602 604



84602 605

84603 ...

Drawer partitioning

101

External dimensions H x W x D mm	Colour RAL	Drawers 82 mm	Drawers 125 mm	Drawers 170 mm	Insert shelves thickness 24 mm	Width: 500 mm	
						84601	...
1000 x 500 x 500	7035	1	1	-	1	502	
1000 x 500 x 500	7035/5012	1	1	-	1	602	
1000 x 500 x 500	7035	-	1	4	-	503	
1000 x 500 x 500	7035/5012	-	1	4	-	603	
1000 x 500 x 500	7035	2	1	3	-	504	
1000 x 500 x 500	7035/5012	2	1	3	-	604	
1000 x 500 x 500	7035	8	1	-	-	505	
1000 x 500 x 500	7035/5012	8	1	-	-	605	

External dimensions H x W x D mm	Colour RAL	Drawers 82 mm	Drawers 125 mm	Drawers 170 mm	Insert shelves thickness 24 mm	Width: 930 mm	
						84602	...
1000 x 930 x 500	7035	4	1	2	2	502	
1000 x 930 x 500	7035/5012	4	1	2	2	602	
1000 x 930 x 500	7035	-	2	8	-	503	
1000 x 930 x 500	7035/5012	-	2	8	-	603	
1000 x 930 x 500	7035	-	1	4	2	504	
1000 x 930 x 500	7035/5012	-	1	4	2	604	
1000 x 930 x 500	7035	2	2	-	2	505	
1000 x 930 x 500	7035/5012	2	2	-	2	605	

84670

Workplace cabinets (empty)



Design

- Impact-resistant and scratch-resistant plastic coating
- Housing RAL 7035, light grey
- Doors and drawers RAL 5012 light blue
- Double-walled reinforced doors, opening angle over 180°
- Double-walled drawer panel
- Embossed drawer base
- Zinc-plated shelves
- Security cylinder lock
- Ball bearing-mounted telescopic rails


Applications

An appealing modern design means these cabinets can be used anywhere. Not only in warehouses and workshops, but also in offices and medical practices, or as counter systems in showrooms or shops. Thanks to universal and co-ordinated cabinet dimensions, cabinets can be extended and combined as required.

Note:

Figure with optional ribbed rubber support (art. no. 84672).

84670 601



Double-walled reinforced door with perforated plate

84670 603-604



84670 620



84670 605



Telescopic rail-guided drawers

84670 610



Double-walled drawer panel

Double-walled reinforced door with slotted plate

External dimensions H x W x D mm	Inside of door perforated plate	Inside of door slotted plate	Equipped with shelves	Equipped with drawers	Equipped with safe box	84670	...
1000 x 500 x 500	X	-	2	1	-	601	
1000 x 500 x 500	-	X	2	1	-	602	
1000 x 500 x 500	X	-	1	3	-	603	
1000 x 500 x 500	-	X	1	3	-	604	
1000 x 500 x 500	-	-	-	9	-	605	
1000 x 1000 x 500	X	X	2	2	-	610	
1950 x 1000 x 500	-	-	4	15	1	620	

84672

Accessories for workplace cabinets art. no. 84670

84672 101




Desk attachment

84672 102-103



Ribbed rubber support

84672 104



Drawer partitioning

84672 105



Mobile frame

	Length x width mm	84672	...
Desk attachment RAL 7035/5012	500 x 500	101	
Ribbed rubber support, black	500 x 500	102	
Ribbed rubber support, black	1000 x 500	103	

	Length x width mm	84672	...
Drawer partitioning, fine sheet metal	-	104	
Mobile frame RAL 7035	500 x 500	105	



84835 - 84839

Design

- Robust sheet steel construction with solid sheet metal doors or doors with viewing window
- Doors with reinforcement pockets and recessed handle in the upper guide profile with secure guidance
- With anti-crush protection and buffered closing
- Jointly locking with turn-and-push cylinder lock (incl. 2 keys)
- Including zinc-plated shelves
- Height-adjustable on 17 mm grid
- Load per shelf 80 kg with evenly distributed load
- TÜV/GS tested
- 100% Made in Germany

Colour:

Housing RAL 7035 light grey, doors RAL 5012 light blue. Other colours deliverable on request.

Note:

For additional shelves, see art. no. 84842.

84842

Shelves**Design**

- Zinc-plated
- Including 4 shelf supports
- Load per shelf 80 kg with evenly distributed load

Applications

For sliding door cabinets art. no. 84835 and 84839.

84835 612



84839 625



84839 615



84842



H x W x D mm	Divider	No. of shelves	Total load kg	Solid sheet metal doors		Doors with viewing window		Shelves	
				84835	...	84839	...	84842	...
1000 x 1000 x 400	-	2	400	607		607		103	
1000 x 1000 x 500	-	2	400	601		601		101	
1000 x 1000 x 600	-	2	400	608		608		104	
1000 x 1500 x 400	x	4	600	609		609		107	
1000 x 1500 x 500	x	4	600	602		602		102	
1000 x 1500 x 600	x	4	600	610		610		108	
1000 x 2000 x 400	x	4	600	611		611		103	
1000 x 2000 x 500	x	4	600	603		603		101	
1000 x 2000 x 600	x	4	600	612		612		104	
1200 x 1000 x 400	-	2	400	613		613		103	
1200 x 1000 x 500	-	2	400	614		614		101	
1200 x 1000 x 600	-	2	400	615		615		104	
1200 x 1500 x 400	x	4	600	616		616		107	
1200 x 1500 x 500	x	4	600	617		617		102	
1200 x 1500 x 600	x	4	600	618		618		108	
1200 x 2000 x 400	x	4	600	619		619		103	
1200 x 2000 x 500	x	4	600	620		620		101	
1200 x 2000 x 600	x	4	600	621		621		104	
1950 x 1000 x 400	-	4	400	622		622		103	
1950 x 1000 x 500	-	4	400	604		604		101	
1950 x 1000 x 600	-	4	400	623		623		104	
1950 x 1500 x 400	x	8	600	624		624		107	
1950 x 1500 x 500	x	8	600	605		605		102	
1950 x 1500 x 600	x	8	600	625		625		108	
1950 x 2000 x 400	x	8	600	626		626		103	
1950 x 2000 x 500	x	8	600	606		606		101	
1950 x 2000 x 600	x	8	600	627		627		104	

Wall-mounted cabinets

84847

Wall-mounted cabinets

Design

- Doors with reinforcement pocket and cylinder lock with 2 keys
- With holes for wall attachment
- With powder-coated insert shelf in body colour, height-adjustable on 17 mm grid
- Shelf load capacity of 15 kg with evenly distributed load
- Overall load capacity per cabinet 30 kg with evenly distributed load
- GS-tested and TÜV-certified

NEW

84847 100-102



84847 200-202



84847 103-105



84847 203-205



84847 106-108

84847 106-111

84847 206-211

Viewing window made of shatter-proof acrylic glass

- Impact strength of pane of 15 kJ/m² corresponds to force of approx. 1500 kg/m² from a height of 1 m.



84847 109-111



84847 209-211

Shelf

For rear panel	For width mm	84847	...
Smooth	400	112	
Smooth	800	113	

Shelf

For rear panel	For width mm	84847	...
Perforated	400	212	
Perforated	800	213	



Smooth rear wall

Perforated rear wall

Doors	H x W x D mm	Shelves quantity	Housing paint RAL colour	Doors paint RAL colour	84847	...	84847	...
Solid sheet metal	600 x 400 x 300	1	7035 light grey	5012 light blue	100		200	
Solid sheet metal	600 x 400 x 300	1	7035 light grey	7035 light grey	101		201	
Solid sheet metal	600 x 400 x 300	1	7035 light grey	7016 anthracite grey	102		202	
Solid sheet metal	600 x 800 x 300	1	7035 light grey	5012 light blue	103		203	
Solid sheet metal	600 x 800 x 300	1	7035 light grey	7035 light grey	104		204	
Solid sheet metal	600 x 800 x 300	1	7035 light grey	7016 anthracite grey	105		205	
Viewing window	600 x 400 x 300	1	7035 light grey	5012 light blue	106		206	
Viewing window	600 x 400 x 300	1	7035 light grey	7035 light grey	107		207	
Viewing window	600 x 400 x 300	1	7035 light grey	7016 anthracite grey	108		208	
Viewing window	600 x 800 x 300	1	7035 light grey	5012 light blue	109		209	
Viewing window	600 x 800 x 300	1	7035 light grey	7035 light grey	110		210	
Viewing window	600 x 800 x 300	1	7035 light grey	7016 anthracite grey	111		211	

Design

- Robust sheet steel construction
- Rear wall with square perforation
- Square perforation 10x10 mm
- Distance from hole centre to hole centre 38 mm
- Doors can be left or right closing
- Cylinder lock with two keys
- Mounting on the wall with anchors and screws

NEW

84848 100-103



84848 104-107



H x W x D mm	Hinged doors 700 mm	Partition panels quantity	Shelves quantity	84848	...
750 x 1000 x 200	2	1	3		100
750 x 1000 x 200	2	1	3		101
750 x 1000 x 200	2	1	3		102
750 x 1000 x 200	2	1	3		103
750 x 1500 x 200	3	2	4		104
750 x 1500 x 200	3	2	4		105
750 x 1500 x 200	3	2	4		106
750 x 1500 x 200	3	2	4		107