



Möbel für Menschen

85120 501-508

Design

- Wide range of different dimensions for every purpose
- Even better operational safety and wear resistance
- Ergonomically attractive appearance thanks to recessed Ergo Lock handle (three-pin lock) in black with 2 keys
- Door suspension with approx. 110° opening angle
- On request: external hinges, approx. 180° opening angle
- Central door reinforcement for high door stability
- High flexibility of interior installation due to adjustment in increments of 15 mm
- High load capacity per zinc-plated shelf: 70 kg (up to 110 kg in reinforced design)



Ergo Lock recessed handle lock, wear resistant and user friendly



Cabinets with 400, 500, 600 and 800 mm depth



85120 601-608

85120 101-108



friendly		RAL 7035/5012		RAL 7035/5010		RAL 7035/7035		
External dim. W x D mm	Height mm	Number of Shelves	85120	...	85120	...	85120	...
930 x 400	1950	4		501		101	NEW	601
930 x 500	1950	4		502		102	NEW	602
930 x 600	1950	4		503		103	NEW	603
930 x 800	1950	4		507	NEW	104	NEW	607
1200 x 400	1950	4		504		105	NEW	604
1200 x 500	1950	4		505		106	NEW	605
1200 x 600	1950	4		506		107	NEW	606
1200 x 800	1950	4		508	NEW	108	NEW	F (1.015.00) 608

85121 503-506

External dim. W x D mm	Height mm	Number of Shelves	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
			85121	...	85121	...	85121	...
930 x 400	1000	1	503		101	NEW	603	
930 x 500	1000	1	504		102	NEW	604	
1200 x 400	1000	1	505		103	NEW	605	
1200 x 500	1000	1	506		104	NEW	606	

85122 504-507

External dim. W x D mm	Height mm	Number of Shelves	RAL 7035/5012		RAL 7035/7035	
			85122	...	85122	...
930 x 400	1200	2	504		604	
930 x 500	1200	2	505		605	
1200 x 400	1200	2	506		606	
1200 x 500	1200	2	507		607	



Factory equipment

85124

Accessories for hinged-door tool cabinets with shelves



Möbel für Menschen

85124 201-304

Shelves

Design

Zinc-plated, incl. 4 shelf supports.

85124 401

Shelf supports

Design

Zinc-plated, pack = 10 units.

85124 201-304

For width mm	For depth mm	Height mm	Shelf		Shelf support	
			85124	...	85124	...
930	400	24			201	
930	500	24			203	
930	600	24			204	
1200	400	24			301	
1200	500	24			303	
1200	600	24			304	
-	-	-				401





Möbel für Menschen

Design

- Wide range of different dimensions for every purpose
- Even better operational safety and wear resistance
- Ergonomically attractive appearance thanks to recessed Ergo Lock handle (three-pin lock) in black with 2 keys
- Door suspension with approx. 110° opening angle
- On request: external hinges, approx. 180° opening angle
- Central door reinforcement for high door stability

Figure 1

- Left: - 3 shelves
- 2 large drawers
Right: - 3 shelves
- 2 large drawers

Figure 2

- Left: - 3 shelves
- 4 small drawers
Right: - 3 shelves
- 2 large drawers

Figure 3

- Left: - 2 shelves
- 4 small drawers
- 4 large drawers
Right: - 4 shelves

Figure 4

- Left: - 1 safe with cylinder lock
- 8 large drawers
Right: - 4 shelves

Figure 1



Figure 2



Figure 3



Figure 4



External dim. W x D mm	Height mm	Fig.	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
			85127	...	85127	...	85127	...
930 x 500	1950	1		101		201 NEW		602
1200 x 500	1950	1		102		202 NEW		603
930 x 500	1950	2		103		203 NEW		604
1200 x 500	1950	2		104		204 NEW		605
930 x 500	1950	3		105		205 NEW		606
1200 x 500	1950	3		106		206 NEW		609
930 x 500	1950	4		107		207 NEW		601
1200 x 500	1950	4		108		208 NEW		608

Ergo Lock recessed handle lock, wear resistant and user friendly



85130

Accessories for hinged-door tool cabinets with drawers



Möbel für Menschen

85130 101-102

Shelves

Design

Zinc-plated, incl. 4 shelf supports.

85130 103-105

Drawer partitions

Design

With plastic boxes.

85130 106-107

Drawer partitions

Design

With zinc-plated separating plates.

85130 101-102



85130 103-105



	For width mm	For depth mm	Height mm	85130	...
Shelf	930	500	24		101
Shelf	1200	500	24		102
Drawer partition, boxes	930	500	-		103
Drawer partition, boxes	1200	500	-		105
Drawer partition, separating plates	930	500	-		106
Drawer partition, separating plates	1200	500	-		107





Möbel für Menschen

Design

- Wide range of different dimensions for every purpose
- Attractive appearance thanks to recessed Ergo Lock handle (three-pin lock) in black with 2 keys
- Door suspension with external hinges, approx. 180° opening angle
- Central door reinforcement for high door stability
- High flexibility of interior installation due to adjustment in increments of 15 mm
- High load capacity per zinc-plated shelf: 70 kg (up to 110 kg in reinforced design)
- 3 shelves
- 3 drawers with telescopic rail guide, fully extendable and 50 kg load/shear force
- Wall screw fastening required for loading drawers

85128 402-404



85128 505-507



Ergo Lock recessed handle lock, wear resistant and user friendly



Cabinets with 400, 500 and 600 mm depth

85128 102-104 + 402-407

Design

- Bottom drawer block

85128 105-107 + 502-507

Design

- Middle drawer block

Drawer block	External dimensions W x D mm	Height mm	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
			85128	...	85128	...	85128	...
Bottom	1200 x 400	1950		402		102 NEW		405
Bottom	1200 x 500	1950		403		103 NEW		406
Bottom	1200 x 600	1950		404		104 NEW		407
Middle	1200 x 400	1950		502		105 NEW		505
Middle	1200 x 500	1950		503		106 NEW		506
Middle	1200 x 600	1950		504		107 NEW		507

85131

Accessories for large tool cabinets



Möbel für Menschen

85131 101-103

Shelves**Design**

Zinc-plated, incl. 4 shelf supports.

85131 101-103



85131 201-202

Drawer partitions**Design**

With plastic boxes.

85131 201-202



85131 301-302

Drawer partitions**Design**

With zinc-plated separating plates.

85131 301-302



	For width mm	For depth mm	Height mm	85131	...
Shelf	1200	400	24		101
Shelf	1200	500	24		102
Shelf	1200	600	24		103
Drawer partition, boxes	1200	400	-		201
Drawer partition, boxes	1200	500 + 600	-		202
Drawer partition, separating plates	1200	400	-		301
Drawer partition, separating plates	1200	500 + 600	-		302

85137 - 85139 Folding door cabinets

85137 - 85138

Folding door cabinets

Design

- Cabinet height 1000 or 1950 mm
- 2 widths: 1200 or 1500 mm
- 3 depths: 400, 500 or 600 mm
- 2 (with height 1000 mm) or 4 (with height 1950 mm) zinc-plated shelves (on request, also available with powder coating); can be adjusted in height in increments of 17 mm and loaded with 80 kg
- Shelf load of 100 kg with evenly distributed load also available for a surcharge
- Doors with reinforced pockets and three-pin turning handle with integrated cylinder lock
- Extremely high torsion resistance thanks to corner soldering
- High-quality powder coating
- Body colour: RAL 7035
- Door colour: RAL 7035 or 5012
- Total load capacity of 400 kg with evenly distributed load
- TÜV/GS tested
- 100% Made in Germany

1950 x 1200 x 500

85137 102



1950 x 1500 x 600

85137 206



85139

Shelves

Design

- Zinc-plated
- 80 kg load



85139

1000 x 1200 x 400

85138 101



1000 x 1500 x 600

85138 206



W x D mm	Colour RAL	H 1950 mm		H 1000 mm		Shelf	
		85137	...	85138	...	85139	...
1200 x 400	7035/5012		101		101		101
1200 x 400	7035/7035		201		201		101
1200 x 500	7035/5012		102		102		102
1200 x 500	7035/7035		202		202		102
1200 x 600	7035/5012		103		103		103
1200 x 600	7035/7035		203		203		103

W x D mm	Colour RAL	H 1950 mm		H 1000 mm		Shelf	
		85137	...	85138	...	85139	...
1500 x 400	7035/5012		104		104		201
1500 x 400	7035/7035		204		204		201
1500 x 500	7035/5012		105		105		202
1500 x 500	7035/7035		205		205		202
1500 x 600	7035/5012		106		106		203
1500 x 600	7035/7035		206		206		203

85117 - 85118 Wing door cabinets with shelves

85117

Design

- Extra wide
- High-quality and durable sheet steel construction
- All edges processed cleanly and to protect against injuries
- Extremely high torsion resistance thanks to corner soldering
- Smooth, internal doors with approx. 125° door opening angle (180° with external door suspension for a surcharge)
- Doors with reinforced pockets
- Doors can be locked together using a practical three-pin turning handle
- Integrated cylinder lock with 2 keys
- 4 zinc-plated shelves, can easily and individually be adjusted in height in increments of 17 mm, 80 kg load
- Body colour: RAL 7035
- Door colour: RAL 5012 or RAL 7035
- TÜV/GS tested and 100% Made in Germany



85117

Extra wide 1500 mm

Continued

85117 - 85118

Wing door cabinets with shelves

Continued



Practical turning handle for three-pin lock (also easy to operate with work gloves)



External door suspension (for a surcharge) with 180° door opening angle for even better access

85118 Shelves Design

- Zinc-plated
- 80 kg load



85118

Dimensions H x W x D mm	Shelf Number	Shelf H x W x D mm	RAL 7035/7035		RAL 7035/5012		Shelves	
			85117	...	85117	...	85118	...
1950 x 1500 x 400	4	30 x 1483 x 370	101		201		101	
1950 x 1500 x 500	4	30 x 1483 x 470	102		202		102	
1950 x 1500 x 600	4	30 x 1483 x 570	103		203		103	

85140 - 85142

Organiser cabinet with viewing windows



Möbel für Menschen

Design

- Durable steel construction
- Excellent operational safety, wear resistance and attractive appearance through Ergo Lock handle lock (three-pin lock) in black with 2 keys
- Door suspension through external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass (3 mm thick) for direct viewing
- High flexibility of interior installation due to adjustment in increments of 15 mm
- High load of 70 kg per zinc-plated shelf



Ergo Lock recessed handle lock, registered for patent



Wear-resistant and ergonomic, attractive appearance

External dim. W x D mm	Height mm	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
		Shelves Thickn. 24 mm	85140	...	85140	...	85140
930 x 400	1950	4	201		301 NEW		101
930 x 500	1950	4	202		302 NEW		102
930 x 600	1950	4	203		303 NEW		103
930 x 800	1950	4	207 NEW		304 NEW		107 NEW
1200 x 400	1950	4	204		305 NEW		104
1200 x 500	1950	4	205		306 NEW		105
1200 x 600	1950	4	206		307 NEW		106
1200 x 800	1950	4	208 NEW		308 NEW		108 NEW

External dim. W x D mm	Height mm	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
		Shelves Thickn. 24 mm	85141	...	85141	...	85141
930 x 500	1200	2	201		301 NEW	F (655.00)	101
1200 x 500	1200	2	202		302 NEW	F (765.00)	102


External dim. W x D mm	Height mm	RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
		Shelves Thickn. 24 mm	85142	...	85142	...	85142
930 x 500	1000	1	201		301 NEW		101
1200 x 500	1000	1	202		302 NEW		102



85140 201-206



85141 301-302



85142

Factory equipment

85115

Universal cabinets

KAPPES

Design

Housing made of sheet steel, plastic-coated.
Smooth front when doors are closed. Consistently reinforced hinged doors, opening angle over 200°, rod guidance. 4 zinc-plated shelves, adjustable in increments of 10 mm, 80 kg with evenly distributed load. Three-pin security cylinder lock with recessed turning handle.

Standard colour:

Housing: RAL 7035 Light grey,

Doors: RAL 5012 Light blue, powder-coated.

Note:

Additional group or master keys available on request.



85115

	RAL 7035/5012	RAL 7035/7035
External dimensions H x W x D mm	85115 ...	85115 ...
1950 x 1000 x 410	401	600
1950 x 1000 x 500	402	601

85116

Additional shelves for art. no. 85115

For cabinet depth mm	85116 ...
410	101
500	102



85116

85119

Fire-resistant wing door cabinets



Möbel für Menschen

Design

- Double-walled door, suspension using rotary bolts
- Adjustable shelves inside
- Five-pin bolt work (3 x side, 1 x each top/bottom)
- Double-bit security lock
- Body colour: RAL 7021
- Door colour: RAL 7035 Light grey
- DBS cover panel colour: RAL 7035 Light grey



85119 102

85119 101

External dimensions H x W x D mm	Doors Number	Shelves Number	RAL 7021/7035 85119 ...
1226 x 650 x 500	1	2	101
1950 x 930 x 500	2	4	102

**KAPPES****Design**

Load-bearing capacity up to 1.65 tonnes. The cabinet floor alone can carry up to 400 kg of evenly distributed load. Extremely stable, welded steel construction with brazed corners. Impact- and scratch-resistant plastic coating. Body: light grey. Doors are light blue or light grey as standard. On request, doors available in gentian blue or reseda green (not held in stock). Choice between double-walled reinforced doors or doors with viewing window. Smooth fronts due to flush overlay doors, opening angle over 200°. Continuous rod guidance. Telescopic-guided drawers with full extension.

Drawer load 110 kg of evenly distributed load.

Adjustable in increments of 25 mm.

Three-pin safety cylinder lock.

Note:

Drawer lock available on request.

For additional shelves, see art. no. 85180.

85160

Without central partition wall.

Drawers W x D 900 x 520 mm. Zinc-plated shelves, load 160 kg of evenly distributed load.

85165

With central partition wall.

Drawers W x D 443 x 500 mm. Zinc-plated shelves, load 80 kg of evenly distributed load.

Note:

End no. 401, 405, 501 and 505 drawers.

**Various door designs:**

- Viewing window
- Perforated plate (on request)
- Slotted plate (on request)
- Double-walled solid sheet metal doors

85160 401



85160 402



85160 403



85160 404



85165 501



85165 502



85165 503



85165 504

**Without divider**

Doors	Dimensions H x W x D mm	Shelves	Drawer height mm 100 / 125 / 175	RAL 7035/5012 85160	...	RAL 7035/7035 85160	...	RAL 7035/5012 85160	...	RAL 7035/7035 85160	...
Solid sheet metal	1950 x 1000 x 600	4	- / - / -	401		501					
Solid sheet metal	1950 x 1000 x 600	3	- / - / 2	402		502					
Solid sheet metal	1950 x 1000 x 600	3	1 / 2 / -	403		503					
Solid sheet metal	1950 x 1000 x 600	2	1 / 2 / 2	404		504					
Viewing window	1950 x 1000 x 600	4	- / - / -					405		505	
Viewing window	1950 x 1000 x 600	3	- / - / 2					406		506	
Viewing window	1950 x 1000 x 600	3	1 / 2 / -					407		507	
Viewing window	1950 x 1000 x 600	2	1 / 2 / 2					408		508	

With divider

Doors	Dimensions H x W x D mm	Shelves	Drawer height mm 100 / 125 / 175	RAL 7035/5012 85165	...	RAL 7035/7035 85165	...	RAL 7035/5012 85165	...	RAL 7035/7035 85165	...
Solid sheet metal	1950 x 1000 x 600	6	- / - / -	401		501					
Solid sheet metal	1950 x 1000 x 600	6	- / - / 4	402		502					
Solid sheet metal	1950 x 1000 x 600	6	- / 6 / -	403		503					
Solid sheet metal	1950 x 1000 x 600	6	4 / - / 4	404		504					
Viewing window	1950 x 1000 x 600	6	- / - / -					405		505	
Viewing window	1950 x 1000 x 600	6	- / - / 4					406		506	
Viewing window	1950 x 1000 x 600	6	- / 6 / -					407		507	
Viewing window	1950 x 1000 x 600	6	4 / - / 4					408		508	

85166

Heavy-duty cabinets for 1.65 t load

KAPPES

Design

Load-bearing capacity up to 1.65 tonnes. The cabinet floor alone can carry up to 400 kg of evenly distributed load. Extremely stable, welded steel construction with brazed corners. Impact- and scratch-resistant plastic coating. Body: light grey. Doors are light blue or light grey as standard. On request, doors available in gentian blue or reseda green (not held in stock). Double-walled reinforced doors. Smooth fronts due to flush overlay doors, opening angle over 200°. Continuous rod guidance. Telescopic-guided drawers with full extension.

Drawer load 110 kg of evenly distributed load.

Adjustable in increments of 25 mm. Three-pin safety cylinder lock.

Note:

Drawer lock available on request.

For additional shelves, see art. no. 85180.

85166 101-102 + 201-202

Without central partition wall.

Drawers W x D 900 x 520 mm. Zinc-plated shelves, load 160 kg of evenly distributed load.

85166 103-104 + 203-204

With central partition wall.

Drawers W x D 443 x 500 mm. Zinc-plated shelves, load 80 kg of evenly distributed load.

85166 101



85166 102



85166 103



85166 104



Doors	Dimensions H x W x D mm	Middle Divider	Shelves	Drawers Height 100 mm	Drawers Height 125 mm	Drawers Height 175 mm	RAL 7035/5012		RAL 7035/7035	
							85166	...	85166	...
Solid sheet metal	1110 x 1000 x 600	without	1	2	-	-			101	201
Solid sheet metal	1110 x 1000 x 600	without	-	2	1	1			102	202
Solid sheet metal	1110 x 1000 x 600	with	2	2	2	2			103	203
Solid sheet metal	1110 x 1000 x 600	with	-	-	16	-			104	204

85180

Additional shelf for heavy-duty cabinets

Design

Sheet steel, zinc-plated, with shelf supports.

85180 101

Applications

For art. no. 85166, 85166 101-102 and 85166 201-202.

Dimensions W x D mm	Load per shelf kg	Design	85180	...
935 x 535	160	-		101
440 x 535	80	right		102
440 x 535	80	left		103

85180 102+103

Applications

For art. no. 85165, 85166 103-104 and 85166 203-204.

85180



85185

Battery cabinets

HHW

Design

TÜV GS tested, CE certified.

Three-point security locking.

3 fixed shelves at the top, with additional rear wall (approx. 10-15 cm in front of the cabinet rear wall).

Each shelf has a 6-way 230 V multiple socket outlet with fuse. One drawer beneath, 90 mm high, fully extendable. Another shelf is installed between the drawer and base (end no. 102). Equipped with front and rear ventilation slots. One fan and one add-on device plug 16 A suitable for 380 V plugs on the side. Incl. distribution box and 3 circuit breakers fitted in cabinet.

Fully assembled and pre-wired.

Applications

For theft-proof and clearly arranged storage of charging devices and cordless equipment.

85185 101

Design

3 fixed shelves, 1 drawer 90 mm high with full extension.

85185 102

Design

3 fixed shelves, 1 adjustable shelf (not earthed), 1 drawer 90 mm high with full extension.

Dimensions H x W x D mm	Number of Shelves	Number of Drawers	RAL 7035/5012	
			85185	...
1030 x 1000 x 500	3	1		101
1950 x 1000 x 500	4	1		102

85185 101



85185 102

Applications

For all areas where corrosion resistance, hygiene or extensive resistance to chemicals and acids is required.

Quality

Made from the finest stainless steel in Germany (material 1.4301, grinding finish „Duplo“).

Note:

In the Cabinox versions, all hinged doors are equipped with a vertically edged handle strip for improved ergonomics, which also gives the cabinets a unique design.

85603 101**Stainless steel cabinet LB****Design**

- 4 shelves
- Height adjustable in increments of 17 cm
- Cylinder twist lock

85603 102**Storage cabinet Cabinox****Design**

- 4 shelves
- Height adjustable in increments of 19 cm
- Cylinder twist lock

85603 103**Viewing window cabinet Cabinox****Design**

- Viewing window made of polycarbonate
- 4 shelves
- Height adjustable in increments of 19 cm
- Cylinder twist lock

85603 104**Environmental cabinet Cabinox****Design**

- Forced ventilation
- 4 seal-welded trays
- Height adjustable in increments of 19 cm
- For storing toxic substances that are hazardous to health and water
- Cylinder twist lock

NEW**85603 102****85603 101****85603 103****85603 104**

	H x W x D mm	85603	...
Stainless steel cabinet LB	1800 x 900 x 400		101
Storage cabinet Cabinox	1800 x 900 x 400		102
Viewing window cabinet Cabinox	1800 x 900 x 400		103
Environmental cabinet Cabinox	1800 x 900 x 400		104

85603 105**Shelf****Applications**

Additional shelf for Cabinox storage cabinets and viewing window cabinets (art. no. 85603 102–103).

85603 106**Tray base****Applications**

Additional, seal-welded tray base for Cabinox environmental cabinet (art. no. 85603 104).

85603 107**Shelf tray****Applications**

Seal-welded shelf tray for Cabinox environmental cabinet (art. no. 85603 104).

85603 105**85603 106****85603 107**

	Use for	85603	...
Shelf	Storage and viewing window cabinets (art. no. 85603 102–103)		105
Tray base	Environmental cabinet (art. no. 85603 104)		106
Shelf tray	Environmental cabinet (art. no. 85603 104)		107

85123

Hinged-door tool cabinets with clothes rail



Möbel für Menschen

85123 602-603

Design

- Even better operational safety and wear resistance
- Ergonomic, attractive appearance due to recessed Ergo Lock handle (three-pin lock) in black with 2 keys
- Door suspension with approx. 110° opening angle
- With central divider
- Left: Hat shelf and clothes rail (without hangers)
- Right: 4 shelves

85123 701

Shelf

Design

- Zinc-plated
- Incl. 4 shelf supports



Ergo Lock recessed handle lock, wear resistant and user friendly

85123 101



		RAL 7035/5012		RAL 7035/5010		RAL 7035/7035			
External dimensions W x D	Height	85123	...	85123	...	85123	...	85123	...
mm	mm								
930 x 500	1950		603		101		602		
Shelf	-							701	

85307

Wardrobe cabinets

Design

- Welded sheet steel construction on base
- Doors with label frame, ventilation slots and twist lock for padlock
- Colour: RAL 7035 Light Grey, powder-coated

Note:

Also available with feet on request.
Padlocks see art. no. 86929 ff.

85307 602

85307 603

85307 604



Number of Compartments	External dimensions H x W x D	85307	...
	mm		
1	1800 x 300 x 500		601
2	1800 x 600 x 500		602
3	1800 x 900 x 500		603
4	1800 x 1200 x 500		604

85329

Wardrobes with double compartments

Design

- 2 compartments per employee
- Doors fold together
- 1 twist lock per double compartment
- Coated in RAL 7035, Light Grey

Applications

For hygienically separating work and street clothing.

85329 101

85329 102



Number of double compartments	External dimensions H x W x D	85329	...
	mm		
1	1800 x 600 x 500		101
2	1800 x 1170 x 500		102

85308

Double-level wardrobe cabinets

Design

- On base
- 2 compartments on top of each other, 1 door per shelf
- Each compartment has 1 clothes rail and 3 hooks
- Doors with ventilation slats for ventilation and label frame for identification
- Twist lock for padlock
- Colour: RAL 7035 Light Grey

Note:

Padlocks, see art. no. 86929 ff.

85308 101

85308 102



Number of sections	Compartment width	Number of shelves	External dimensions H x W x D	85308	...
	mm		mm		
2	300	4	1940 x 600 x 500		101
3	300	6	1940 x 900 x 500		102



85330

Z-cabinets

Design

- The space-saving alternative to standard cabinets
- Rigid doors, equipped with cylinder locks
- Coated in RAL 7035, Light Grey

85330 101

85330 102



Number of Compartments	External dimensions H x W x D mm	85330	...
2	1800 x 415 x 500	101	
4	1800 x 800 x 500	102	

85331

Wardrobe cabinets with lower fitted bench seat

Design

- Welded sheet steel construction on base
- Doors with label frame, ventilation slots and twist lock for padlock
- With lower fitted bench seat
- Colour: RAL 7035 Light Grey, powder-coated

Note:

Padlocks, see art. no. 86929 ff.

85331 101

85331 102

85331 103



Number of sections	Overall dimensions H x W x D	External dimensions of cabinet H x W x D mm	Bench seat H x D mm	85331	...
2	2200 x 600 x 800	1800 x 600 x 500	400 x 300	101	
3	2200 x 900 x 800	1800 x 900 x 500	400 x 300	102	
4	2200 x 1200 x 800	1800 x 1200 x 500	400 x 300	103	

85332

Sloping roof attachments

Design

- Can be retrofitted
- Prevents objects from being left on top of units
- Mounted with 4 tapping screws
- RAL 7035

Width mm	Rear height approx. mm	Depth mm	85332	...
400	200	500	101	
600	200	500	102	
800	200	500	103	
900	200	500	104	
1170	200	500	105	
1200	200	500	106	

85332



85309

Compartment locker for valuables with central wardrobe element

85309 101

Compartment locker for valuables

Design

- On base
- Stable, welded sheet steel construction
- Reinforced doors with cylinder lock and 2 keys each
- Colour: RAL 7035 Light Grey

Note:

Compartment lockers for valuables with central wardrobe element (art. no. 85309 201) can be lined up in any combination.

85309 201

Central wardrobe element

Design

- Comprising:
- 1 upper sheet steel cover
- 1 hat shelf
- 1 clothes rail with
- 5 clothes hooks
- 1 shoe rack

Applications

For use with compartment lockers for valuables (art. no. 85309 101).

85309 101

85309 101 (2x) + 85309 201



Number of compartments	External dimensions H x W x D mm	85309	...
Compartment locker for valuables	5	1900 x 410 x 450	101
Central wardrobe element	-	- x 670 x 450	201

Wardrobe cabinets

85301 - 85312

Wardrobe cabinets S 2000 Classic



Möbel für Menschen

Design

- Easy internal cleaning through smooth compartment floors for easy sweeping
- Plug-in hat shelf and clothes rail with 3 sliding hooks for every compartment
- Twist lock for padlock included as part of practical basic fittings

Doors:

- Hinged on the right
- Mounted using rotary bolts
- With vertical box reinforcement
- Ventilation slots
- Stamped label frame

Note:

Padlocks, see art. no. 86929 ff.

85301

Design

- With plastic feet = increased corrosion protection of cabinet

85303

Design

- With base

85312

Design

- With bench seat incl. adjustable glide runners for easy levelling (10 mm)

85301 201



85303 205



85312 205



Twist lock for padlocks with shackle thickness 4.5–6.5 mm



Good ventilation and drying in compartment

With feet			RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
Number	Compartment width	External dimensions H x W x D	85301	...	85301	...	85301	...
Compartments	mm	mm						
2	300	1850 x 610 x 500	101	NEW	201	NEW	601	
2	400	1850 x 810 x 500	102	NEW	202	NEW	701	
3	300	1850 x 900 x 500	103	NEW	203	NEW	602	
3	400	1850 x 1200 x 500	104	NEW	204	NEW	702	
4	300	1850 x 1190 x 500	105	NEW	205	NEW	603	
4	400	1850 x 1590 x 500	106	NEW	206	NEW	703	

With feet			RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
Number	Compartment width	External dimensions H x W x D	85303	...	85303	...	85303	...
Compartments	mm	mm						
2	300	1800 x 610 x 500	101	NEW	201	NEW	601	
2	400	1800 x 810 x 500	102	NEW	202	NEW	701	
3	300	1800 x 900 x 500	103	NEW	203	NEW	602	
3	400	1800 x 1200 x 500	104	NEW	204	NEW	702	
4	300	1800 x 1190 x 500	105	NEW	205	NEW	603	
4	400	1800 x 1590 x 500	106	NEW	206	NEW	703	

With feet			RAL 7035/5012		RAL 7035/5010		RAL 7035/7035	
Number	Compartment width	External dimensions H x W x D	85312	...	85312	...	85312	...
Compartments	mm	mm						
2	300	2090 x 610 x 500	101	NEW	201	NEW	601	
2	400	2090 x 810 x 500	102	NEW	202	NEW	701	
3	300	2090 x 900 x 500	103	NEW	203	NEW	602	
3	400	2090 x 1200 x 500	104	NEW	204	NEW	702	
4	300	2090 x 1190 x 500	105	NEW	205	NEW	603	
4	400	2090 x 1590 x 500	106	NEW	206	NEW	703	

Factory equipment





Möbel für Menschen

Design

- Doors fold together, suspended using rotary bolts
- Vertical box reinforcement
- Ventilation slots
- Stamped label frame
- Hat shelf can be placed inside
- Clothes rail with 3 sliding hooks per compartment
- Twist lock for padlock

Note:

Padlocks, see art. no. 86929 ff.

85313**Design**

- With 150 mm high plastic feet

85314**Design**

- With 100 mm high base

85319**Design**

- With bench seat
- Incl. adjustable glide runners for easy levelling (10 mm)

85313 301-302



85313 103-104



85314 301-302



85314 303-304



85319 301-302



85319 103-104



With feet				RAL 7035/5012	RAL 7035/5010	RAL 7035/7035
Number of sections	Number of doors	Section width mm	External dimensions H x W x D mm	85313	...	85313
2	2	300	1850 x 610 x 500	201 NEW	...	301 NEW
2	2	400	1850 x 810 x 500	202 NEW	...	302 NEW
4	4	300	1850 x 1190 x 500	203 NEW	...	303 NEW
4	4	400	1850 x 1590 x 500	204 NEW	...	304 NEW

With feet				RAL 7035/5012	RAL 7035/5010	RAL 7035/7035
Number of sections	Number of doors	Section width mm	External dimensions H x W x D mm	85314	...	85314
2	2	300	1800 x 610 x 500	201 NEW	...	301 NEW
2	2	400	1800 x 810 x 500	202 NEW	...	302 NEW
4	4	300	1800 x 1190 x 500	203 NEW	...	303 NEW
4	4	400	1800 x 1590 x 500	204 NEW	...	304 NEW

With feet				RAL 7035/5012	RAL 7035/5010	RAL 7035/7035
Number of sections	Number of doors	Section width mm	External dimensions H x W x D mm	85319	...	85319
2	2	300	2090 x 610 x 500	201 NEW	...	301 NEW
2	2	400	2090 x 810 x 500	202 NEW	...	302 NEW
4	4	300	2090 x 1190 x 500	203 NEW	...	303 NEW
4	4	400	2090 x 1590 x 500	204 NEW	...	304 NEW

85310

Double-floor wardrobe cabinets S 2000 Classic



Möbel für Menschen

Design

- Double-floor, 2 compartments on top of each other
- 1 door, 1 clothes rail and 3 sliding hooks per compartment
- Easy internal cleaning through smooth compartment floors for easy sweeping
- Twist lock for padlock as part of practical basic equipment

Doors:

- Hinged on the right
- Mounted using rotary bolts
- Top and bottom each with 1 perforated rosette
- Stamped label frame

Note:

Padlocks, see art. no. 86929 ff.

85310 201



85310 106



85310 803



85310 101-103

85310 201-203

85310 701-703

Design

- With plastic feet = increased corrosion protection of cabinet

85310 104-106 85310 204-206

85310 601-603

Design

- With base

85310 107-109

85310 207-209

85310 801-803

Design

- With bench seat incl. adjustable glide runners for easy levelling (10 mm)

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85310	...	85310	...	85310
2	2	4	300	1850 x 610 x 500	101	NEW	201	NEW	701
2	3	6	300	1850 x 900 x 500	102	NEW	202	NEW	702
2	4	8	300	1850 x 1190 x 500	103	NEW	203	NEW	703

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85310	...	85310	...	85310
2	2	4	300	1800 x 610 x 500	104	NEW	204	NEW	601
2	3	6	300	1800 x 900 x 500	105	NEW	205	NEW	602
2	4	8	300	1800 x 1190 x 500	106	NEW	206	NEW	603

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85310	...	85310	...	85310
2	2	4	300	2090 x 610 x 500	107	NEW	207	NEW	801
2	3	6	300	2090 x 900 x 500	108	NEW	208	NEW	802
2	4	8	300	2090 x 1190 x 500	109	NEW	209	NEW	803

85326

Sloping roof attachments



Möbel für Menschen

Design

- Can be retrofitted
- Prevents objects from being left on top of units
- Colour: RAL 7035

For sections Number	Width mm	Rear height approx. mm	Depth mm	85326	...
2	300	230	500	101	
2	400	230	500	102	
3	300	230	500	103	
3	400	230	500	104	
4	300	230	500	105	
4	400	230	500	106	

85326





Möbel für Menschen

Design

- With plastic feet = increased corrosion protection of cabinet **or with base**
- Single-walled smooth doors
- Each door has cylinder lock and 2 keys
- The bottoms of the trays are generally designed in the body colour

Note:

Plastic label frame for doors available on request.



Cabinet feet made of plastic for better corrosion protection



Each door has cylinder lock and 2 keys

85317 104



85318 201



85316 502



With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85316	...	85316	...	85316
3	2	6	300	1850 x 610 x 500		101 NEW		201 NEW	501
3	3	9	300	1850 x 900 x 500		102 NEW		202 NEW	502
3	4	12	300	1850 x 1190 x 500		103 NEW		203 NEW	503

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85317	...	85317	...	85317
4	2	8	300	1850 x 610 x 500		101 NEW		201 NEW	601
4	3	12	300	1850 x 900 x 500		102 NEW		202 NEW	602
4	4	16	300	1850 x 1190 x 500		103 NEW		203 NEW	603

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85318	...	85318	...	85318
5	2	10	300	1850 x 610 x 500		101 NEW		201 NEW	601
5	3	15	300	1850 x 900 x 500		102 NEW		202 NEW	602
5	4	20	300	1850 x 1190 x 500		103 NEW		203 NEW	603

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85316	...	85316	...	85316
3	2	6	300	1800 x 610 x 500		104 NEW		204 NEW	601
3	3	9	300	1800 x 900 x 500		105 NEW		205 NEW	602
3	4	12	300	1800 x 1190 x 500		106 NEW		206 NEW	603

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85317	...	85317	...	85317
4	2	8	300	1800 x 610 x 500		104 NEW		204 NEW	501
4	3	12	300	1800 x 900 x 500		105 NEW		205 NEW	502
4	4	16	300	1800 x 1190 x 500		106 NEW		206 NEW	503

With feet					RAL 7035/5012		RAL 7035/5010		RAL 7035/7035
Number of compartments on top of each other	Number of sections	Number of compartments	Section width mm	External dimensions H x W x D mm	85318	...	85318	...	85318
5	2	10	300	1800 x 610 x 500		104 NEW		204 NEW	501
5	3	15	300	1800 x 900 x 500		105 NEW		205 NEW	502
5	4	20	300	1800 x 1190 x 500		106 NEW		206 NEW	503



Möbel für Menschen

Design

- Doors fold together
- With joint twist lock for padlock
- Shelves not height adjustable
- Body colour: RAL 7035
- Door colour: RAL 7035

Note:

Padlocks, see art. no. 86929 ff.

85320**Laundry wardrobe cabinets****Design**

- Left: 4 shelves
- Right: 1 hat shelf, 1 clothes rail, 3 sliding hooks

85322**Cabinets for room cleaning equipment****Design**

- Left of shortened divider: 4 shelves
- Right: 1 rail with 6 sliding hooks

85324**Laundry and storage cabinet****Design**

- 4 solid shelves

85320 501**85322 501****85324 501****Design**

With plastic feet = increased corrosion protection of cabinet.

85320 601**85322 601****85324 601****Design**

With base.



85320 601



85322 601



85324 601

Twist lock for padlocks
with shackle thickness
4.5–6.5 mmGood ventilation and
drying in compartment

Cabinet type	Design	Number of Compartments	Section width mm	External dimensions H x W x D mm	85320	...	85322	...	85324	...
Laundry cabinet	with feet	2	300	1850 x 610 x 500	501					
Laundry cabinet	with base	2	300	1800 x 610 x 500	601					
Cabinet for room cleaning equipment	with feet	2	300	1850 x 610 x 500				501		
Cabinet for room cleaning equipment	with base	2	300	1800 x 610 x 500				601		
Laundry and storage cabinet	with feet	1	300	1850 x 610 x 500					501	
Laundry and storage cabinet	with base	1	300	1800 x 610 x 500					601	

85327**Bench seats****Design**

- Frame made of square tube, H x D 400 x 400 mm
- Coated in RAL 7035, Light Grey
- Seat slats made of hardwood with clear lacquer
- Available with disassembled feet
- Quick and easy assembly



85327 103



85327 102



85327 101

Length mm	85327	...
1000	103	
1500	102	
2000	101	